(x)= [0]	unsigned char	0x18 '\x18' (Hex)
(x)= [1]	unsigned char	0x00 '\x00' (Hex)
(x)= [2]	unsigned char	0x00 '\x00' (Hex)
(x)= [3]	unsigned char	0xD2 '\xd2' (Hex)
(x)= [4]	unsigned char	0x80 '\x80' (Hex)
(x)= [5]	unsigned char	0x04 '\x04' (Hex)
(x)= [6]	unsigned char	0x00 '\x00' (Hex)
(x)= [7]	unsigned char	0x00 '\x00' (Hex)
(x)= [8]	unsigned char	0x00 '\x00' (Hex)
⋈= [9]	unsigned char	0x00 '\x00' (Hex)
(x)= [10]	unsigned char	0x00 '\x00' (Hex)
(x)= [11]	unsigned char	0x00 '\x00' (Hex)
(x)= [12]	unsigned char	0x04 '\x04' (Hex)
(x)= [13]	unsigned char	0x20 ' ' (Hex)
(x)= [14]	unsigned char	0x00 '\x00' (Hex)
(x)= [15]	unsigned char	0x00 '\x00' (Hex)
(x)= [16]	unsigned char	0x00 '\x00' (Hex)
(x)= [17]	unsigned char	0x00 '\x00' (Hex)
(x)= [18]	unsigned char	0x00 '\x00' (Hex)
(x)= [19]	unsigned char	0x88 '\x88' (Hex)
(x)= [20]	unsigned char	0x00 '\x00' (Hex)
⋈= [21]	unsigned char	0x01 '\x01' (Hex)
(x)= [22]	unsigned char	0x02 '\x02' (Hex)
(x)= [23]	unsigned char	0x1E '\x1e' (Hex)
(X)= [24]	unsigned char	0x7F '\x7f' (Hex)
⋈= [25]	unsigned char	0x7F '\x7f' (Hex)
(x)= [26]	unsigned char	0x01 '\x01' (Hex)
(x)= [27]	unsigned char	0x00 '\x00' (Hex)
(x)= [28]	unsigned char	0x00 '\x00' (Hex)
(x)= [29]	unsigned char	0x00 '\x00' (Hex)
(x)= [30]	unsigned char	0x01 '\x01' (Hex)
(x)= [31]	unsigned char	0x00 '\x00' (Hex)
(A)= [32]	unsigned char	0x00 '\x00' (Hex)
(A)= [33]	unsigned char	0x00 '\x00' (Hex)
(x)= [34]	unsigned char	0x25 '%' (Hex)
(x)= [35]	unsigned char	0x00 '\x00' (Hex)

(x)= [36]	unsigned char	0x00 '\x00' (Hex)
(×)= [37]	unsigned char	0x00 '\x00' (Hex)
(x)= [38]	unsigned char	0x00 '\x00' (Hex)
(×)= [39]	unsigned char	0x00 '\x00' (Hex)
(×)= [40]	unsigned char	0x01 '\x01' (Hex)
(x)= [41]	unsigned char	0x20 ' ' (Hex)
(x)= [42]	unsigned char	0x20 ' ' (Hex)
(x)= [43]	unsigned char	0xA0 '\xa0' (Hex)
(x)= [44]	unsigned char	0x00 '\x00' (Hex)
(x)= [45]	unsigned char	0x00 '\x00' (Hex)
(x)= [46]	unsigned char	0xA5 '\xa5' (Hex)
(x)= [47]	unsigned char	0x5A 'Z' (Hex)
(x)= [48]	unsigned char	0x00 '\x00' (Hex)
(x)= [49]	unsigned char	0x00 '\x00' (Hex)
(×)= [50]	unsigned char	0x00 '\x00' (Hex)
(×)= [51]	unsigned char	0x00 '\x00' (Hex)
(x)= [52]	unsigned char	0x00 '\x00' (Hex)
(x)= [53]	unsigned char	0x00 '\x00' (Hex)
(×)= [54]	unsigned char	0x00 '\x00' (Hex)
(x)= [55]	unsigned char	0x00 '\x00' (Hex)
(x)= [56]	unsigned char	0x00 '\x00' (Hex)
(×)= [57]	unsigned char	0x00 '\x00' (Hex)
(×)= [58]	unsigned char	0x00 '\x00' (Hex)
(×)= [59]	unsigned char	0x00 '\x00' (Hex)
(x)= [60]	unsigned char	0x00 '\x00' (Hex)
(×)= [61]	unsigned char	0x00 '\x00' (Hex)
(x)= [62]	unsigned char	0x00 '\x00' (Hex)
(x)= [63]	unsigned char	0x00 '\x00' (Hex)
(×)= [64]	unsigned char	0x14 '\x14' (Hex)
(x)= [65]	unsigned char	0x49 'l' (Hex)
(x)= [66]	unsigned char	0x00 '\x00' (Hex)
(x)= [67]	unsigned char	0x00 '\x00' (Hex)
(x)= [68]	unsigned char	0x80 '\x80' (Hex)
(×)= [69]	unsigned char	0x00 '\x00' (Hex)
(×)= [70]	unsigned char	0x00 '\x00' (Hex)
(×)= [71]	unsigned char	0x00 '\x00' (Hex)

(≍)= [71]	unsigned char	0x00 '\x00' (Hex)
(x)= [72]	unsigned char	0x00 '\x00' (Hex)
(x)= [73]	unsigned char	0x00 '\x00' (Hex)
(×)= [74]	unsigned char	0x00 '\x00' (Hex)
(×)= [75]	unsigned char	0x00 '\x00' (Hex)
(×)= [76]	unsigned char	0x00 '\x00' (Hex)
(×)= [77]	unsigned char	0x00 '\x00' (Hex)
(×)= [78]	unsigned char	0x00 '\x00' (Hex)
(×)= [79]	unsigned char	0x00 '\x00' (Hex)
(×)= [80]	unsigned char	0x97 '\x97' (Hex)
(×)= [81]	unsigned char	0xA1 '\xa1' (Hex)
(×)= [82]	unsigned char	0x1E '\x1e' (Hex)
(x)= [83]	unsigned char	0x00 '\x00' (Hex)
(x)= [84]	unsigned char	0x28 '(' (Hex)
(×)= [85]	unsigned char	0x0C '\x0c' (Hex)
(×)= [86]	unsigned char	0x00 '\x00' (Hex)
(×)= [87]	unsigned char	0x00 '\x00' (Hex)
(×)= [88]	unsigned char	0x00 '\x00' (Hex)
(×)= [89]	unsigned char	0x00 '\x00' (Hex)
(×)= [90]	unsigned char	0xCD '\xcd' (Hex)
(×)= [91]	unsigned char	0x03 '\x03' (Hex)
(×)= [92]	unsigned char	0x60 '`' (Hex)
(x)= [93]	unsigned char	0x06 '\x06' (Hex)
(×)= [94]	unsigned char	0x44 'D' (Hex)
(×)= [95]	unsigned char	0x49 'I' (Hex)
(×)= [96]	unsigned char	0x22 "" (Hex)
(×)= [97]	unsigned char	0x02 '\x02' (Hex)
(×)= [98]	unsigned char	0x00 '\x00' (Hex)
(×)= [99]	unsigned char	0x00 '\x00' (Hex)
√		
(×)= [100]	unsigned char	16 '\x10'
⇔= [101]	unsigned char	0 ,/x00,
(x)= [102]	unsigned char	0 '\x00'
⇔= [103]	unsigned char	0 '\x00'
(x)= [104]	unsigned char	0 '\x00'
⇔= [105]	unsigned char	0 '\x00'

⋈ = [106]	unsigned char	0 '\x00'
(×)= [107]	unsigned char	0 '\x00'
(x)= [108]	unsigned char	0 '\x00'
(×)= [109]	unsigned char	0 '\x00'
(×)= [110]	unsigned char	0 '\x00'
(×)= [111]	unsigned char	0 '\x00'
(x)= [112]	unsigned char	0 '\x00'
(x)= [113]	unsigned char	0 '\x00'
(×)= [114]	unsigned char	0 '\x00'
(×)= [115]	unsigned char	0 '\x00'
(×)= [116]	unsigned char	0 '\x00'
(×)= [117]	unsigned char	0 '\x00'
(×)= [118]	unsigned char	0 '\x00'
(×)= [119]	unsigned char	0 '\x00'
⋈= [120]	unsigned char	0 '\x00'
(×)= [121]	unsigned char	0 '\x00'
(×)= [122]	unsigned char	0 '\x00'
(×)= [123]	unsigned char	0 '\x00'
(×)= [124]	unsigned char	0 '\x00'
(×)= [125]	unsigned char	0 '\x00'
(×)= [126]	unsigned char	0 '\x00'
(⋈= [127]	unsigned char	0 '\x00'
(×)= [128]	unsigned char	0 '\x00'
(×)= [129]	unsigned char	0 '\x00'
⋈= [130]	unsigned char	0 '\x00'
(×)= [131]	unsigned char	0 '\x00'
(×)= [132]	unsigned char	0 '\x00'
(×)= [133]	unsigned char	0 '\x00'
(×)= [134]	unsigned char	0 '\x00'
(X)= [135]	unsigned char	0 '\x00'
(X)= [136]	unsigned char	0 '\x00'
(×)= [137]	unsigned char	0 '\x00'
(×)= [138]	unsigned char	0 '\x00'
(×)= [139]	unsigned char	0 '\x00'
(×)= [140]	unsigned char	0 '\x00'
(×)= [141]	unsigned char	0 '\x00'

⋈= [142]	unsigned char	0 '\x00'
⋈= [143]	unsigned char	0 '\x00'
(x)= [144]	unsigned char	0 '\x00'
(x)= [145]	unsigned char	0 '\x00'
⋈= [146]	unsigned char	0 '\x00'
(x)= [147]	unsigned char	0 '\x00'
⋈= [148]	unsigned char	0 '\x00'
(x)= [149]	unsigned char	0 '\x00'
(x)= [150]	unsigned char	0 '\x00'
⋈= [151]	unsigned char	0 '\x00'
⋈= [152]	unsigned char	0 '\x00'
⋈= [153]	unsigned char	0 '\x00'
⋈= [154]	unsigned char	0 '\x00'
⋈= [155]	unsigned char	0 '\x00'
⇔= [156]	unsigned char	0 '\x00'
⇔= [157]	unsigned char	0 '\x00'
⋈= [158]	unsigned char	0 '\x00'
⋈= [159]	unsigned char	0 '\x00'
⋈= [160]	unsigned char	0 '\x00'
⋈= [161]	unsigned char	0 '\x00'
⋈= [162]	unsigned char	0 '\x00'
⋈= [163]	unsigned char	0 '\x00'
(X)= [164]	unsigned char	0 '\x00'
⋈= [165]	unsigned char	0 '\x00'
⋈= [166]	unsigned char	0 ,/x00,
(X)= [167]	unsigned char	0 ,/x00,
(X)= [168]	unsigned char	0 ,/x00,
⋈= [169]	unsigned char	0 ,/x00,
(x)= [170]	unsigned char	0 ,/x00,
(x)= [171]	unsigned char	0 '\x00'
(x)= [172]	unsigned char	0 ,/x00,
(x)= [173]	unsigned char	0 ,/x00,
(x)= [174]	unsigned char	0 ,/x00,
W= [175]	unsigned char	0 '\x00'
W= [176]	unsigned char	0 '\x00'
(x)= [177]	unsigned char	0 '\x00'

№ 178 unsigned char 0 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			
No 180 Unsigned char O \xx00'	(x)= [178]	unsigned char	0 '\x00'
№ [181] unsigned char 0 \x00" № [182] unsigned char 0 \x00" № [184] unsigned char 0 \x00" № [185] unsigned char 0 \x00" № [186] unsigned char 0 \x00" № [186] unsigned char 0 \x00" № [187] unsigned char 0 \x00" № [188] unsigned char 0 \x00" № [189] unsigned char 0 \x00" № [199] unsigned char 0 \x00" № [191] unsigned char 0 \x00" № [191] unsigned char 0 \x00" № [192] unsigned char 0 \x00" № [193] unsigned char 0 \x00" № [194] unsigned char 0 \x00" № [195] unsigned char 0 \x00" № [196] unsigned char 0 \x00" № [197] unsigned char 0 \x00" № [197] unsigned char 0 \x00" № [198] unsigned char 0 \x00" № [199] unsigned char 0 \x00" № [200] unsigned char 0 \x00" № [201] unsigned char 0 \x00" № [202] unsigned char 0 \x00" № [203] unsigned char 0 \x00" № [204] unsigned char 0 \x00" № [205] unsigned char 0 \x00" № [206] unsigned char 0 \x00" № [207] unsigned char 0 \x00" № [208] unsigned char 0 \x00" № [209] unsigned char 0 \x00" № [209] unsigned char 0 \x00" № [201] unsigned char 0 \x00" № [202] unsigned char 0 \x00" № [207] unsigned char 0 \x00" № [208] unsigned char 0 \x00" № [207] unsigned char 0 \x00" № [208] unsigned char 0 \x00" № [209] unsigned char 0 \x00" № [201] unsigned char 0 \x00" № [202] unsigned char 0 \x00" № [203] unsigned char 0 \x00" № [204] unsigned char 0 \x00" № [205] unsigned char 0 \x00" № [207] unsigned char 0 \x00" № [208] unsigned char 0 \x00" № [209] unsigned char 0 \x00" № [201] unsigned char 0 \x00"	(x)= [179]	unsigned char	0 ,/x00,
00-	(x)= [180]	unsigned char	0 '\x00'
00 [184] unsigned char 0 \x00" 00 [184] unsigned char 0 \x00" 00 [185] unsigned char 0 \x00" 00 [186] unsigned char 0 \x00" 00 [187] unsigned char 0 \x00" 00 [188] unsigned char 0 \x00" 00 [189] unsigned char 0 \x00" 00 [191] unsigned char 0 \x00" 00 [191] unsigned char 0 \x00" 00 [191] unsigned char 0 \x00" 00 [192] unsigned char 0 \x00" 00 [193] unsigned char 0 \x00" 00 [194] unsigned char 0 \x00" 00 [194] unsigned char 0 \x00" 00 [195] unsigned char 0 \x00" 00 [197] unsigned char 64 \(\alpha \)" 00 [197] unsigned char 56 \(\alpha \)" 00 [197] unsigned char 0 \x00" 00 [197] unsigned char 0 \x00" 00 [197] unsigned char 0 \x00" 00 [20] unsigned char 0 \x00"	(X)= [181]	unsigned char	0 ,/x00,
	(X)= [182]	unsigned char	0 '\x00'
№ [185] unsigned char 0 'xx00' № [186] unsigned char 0 'xx00' № [188] unsigned char 0 'xx00' № [188] unsigned char 0 'xx00' № [190] unsigned char 0 'xx00' № [191] unsigned char 0 'xx00' № [192] unsigned char 0 'xx00' № [193] unsigned char 0 'xx00' № [194] unsigned char 0 'xx00' № [195] unsigned char 0 'xx00' № [197] unsigned char 64 '@' № [197] unsigned char 0 'xx00' № [198] unsigned char 0 'xx00' № [199] unsigned char 0 'xx00' № [200] unsigned char 0 'xx00' № [201] unsigned char 0 'xx00' № [202] unsigned char 0 'xx00' № [203] unsigned char 0 'xx00' № [204] unsigned char 0 'xx00' № [205] unsigned char 0 'xx00' № [2	⋈= [183]	unsigned char	0 '\x00'
№ [186] unsigned char 0 \x00° № [188] unsigned char 0 \x00° № [189] unsigned char 0 \x00° № [190] unsigned char 0 \x00° № [191] unsigned char 0 \x00° № [192] unsigned char 0 \x00° № [193] unsigned char 0 \x00° № [194] unsigned char 0 \x00° № [195] unsigned char 64 '@' № [197] unsigned char 64 '@' № [198] unsigned char 0 \x00° № [199] unsigned char 0 \x00° № [200] unsigned char 0 \x00° № [201] unsigned char 0 \x00° № [202] unsigned char 0 \x00° № [203] unsigned char 0 \x00° № [204] unsigned char 0 \x00° № [205] unsigned char 0 \x00° № [206] unsigned char 0 \x00° № [207] unsigned char 0 \x00° № [208] <td< td=""><td>⋈= [184]</td><td>unsigned char</td><td>0 '\x00'</td></td<>	⋈= [184]	unsigned char	0 '\x00'
In the second of the second	⋈= [185]	unsigned char	0 '\x00'
№ [188] unsigned char 0 'x00' № [189] unsigned char 0 'x00' № [190] unsigned char 0 'x00' № [191] unsigned char 0 'x00' № [192] unsigned char 0 'x00' № [193] unsigned char 0 'x00' № [194] unsigned char 168 'xa8' № [195] unsigned char 64 '@' № [196] unsigned char 64 '@' № [197] unsigned char 56 '8' № [198] unsigned char 0 'x00' № [199] unsigned char 0 'x00' № [200] unsigned char 192 'xc0' № [201] unsigned char 0 'x00' № [202] unsigned char 0 'x00' № [203] unsigned char 0 'x00' № [204] unsigned char 0 'x00' № [205] unsigned char 0 'x00' № [206] unsigned char 0 'x00' № [207] unsigned char 0 'x00' № [208]	(X)= [186]	unsigned char	0 '\x00'
Θ+ [189] unsigned char 0 \x00° Θ+ [190] unsigned char 0 \x00° Θ+ [191] unsigned char 0 \x00° Θ+ [192] unsigned char 0 \x00° Θ+ [193] unsigned char 0 \x00° Θ+ [194] unsigned char 0 \x00° Θ+ [195] unsigned char 0 \x00° Θ+ [196] unsigned char 64 '@' Θ+ [197] unsigned char 56 '8' Θ+ [198] unsigned char 0 \x00° Θ+ [199] unsigned char 0 \x00° Θ- [200 245] unsigned char 192 \xx0' Θ+ [201] unsigned char 0 \x00° Θ+ [201] unsigned char 0 \x00° Θ+ [203] unsigned char 0 \x00° Θ+ [204] unsigned char 0 \x00° Θ+ [205] unsigned char 0 \x00° Θ+ [206] unsigned char 0 \x00° Θ+ [207] unsigned char 0 \x00° Θ+ [208] unsigned char 0 \x00°	⋈= [187]	unsigned char	0 '\x00'
60 [190] Unsigned char 0 \x00' 60 [191] Unsigned char 0 \x00' 60 [192] Unsigned char 0 \x00' 60 [193] Unsigned char 0 \x00' 60 [194] Unsigned char 0 \x00' 60 [194] Unsigned char 168 \xa8' 60 [195] Unsigned char 0 \x00' 60 [196] Unsigned char 64 '@' 60 [197] Unsigned char 56 '8' 60 [198] Unsigned char 0 \x00' 60 [199] Unsigned char 0 \x00' 60 [200] Unsigned char 0 \x00' 60 [201] Unsigned char 0 \x00' 60 [202] Unsigned char 0 \x00' 60 [203] Unsigned char 0 \x00' 60 [204] Unsigned char 0 \x00' 60 [205] Unsigned char 0 \x00' 60 [206] Unsigned char 0 \x00' 60 [207] Unsigned char 0 \x00' 60 [208] Unsigned char 0 \x00' 60 [209] Unsigned char 0 \x00' 60 [209] Unsigned char 0 \x00' 60 [209] Unsigned char 0 \x00' 60 [201] Unsigned char 0 \x0	(x)= [188]	unsigned char	0 '\x00'
6+ [191] unsigned char 0 \x00'	(X)= [189]	unsigned char	0 '\x00'
⋈ [192] unsigned char 0 \x00' ⋈ [193] unsigned char 0 \x00' ⋈ [194] unsigned char 168 \xa8' ⋈ [195] unsigned char 0 \x00' ⋈ [196] unsigned char 64 '@' ⋈ [197] unsigned char 56 '8' ⋈ [198] unsigned char 0 \x00' ⋈ [199] unsigned char 0 \x00' ⋈ [200] unsigned char 192 \xc0' ⋈ [201] unsigned char 0 \x00' ⋈ [202] unsigned char 0 \x00' ⋈ [203] unsigned char 0 \x00' ⋈ [204] unsigned char 0 \x00' ⋈ [205] unsigned char 0 \x00' ⋈ [206] unsigned char 0 \x00' ⋈ [207] unsigned char 0 \x00' ⋈ [208] unsigned char 0 \x00' ⋈ [209] unsigned char 0 \x00' ⋈ [201] unsigned char 0 \x00'	(×)= [190]	unsigned char	0 '\x00'
№ [193] unsigned char 0 \x00° № [194] unsigned char 168 \xa8' № [195] unsigned char 0 \x00° № [196] unsigned char 64 '@' № [197] unsigned char 56 '8' № [198] unsigned char 0 \x00° № [199] unsigned char 0 \x00° № [200] unsigned char 192 \xc0° № [201] unsigned char 0 \x00° № [202] unsigned char 0 \x00° № [203] unsigned char 0 \x00° № [204] unsigned char 0 \x00° № [205] unsigned char 0 \x00° № [206] unsigned char 0 \x00° № [207] unsigned char 0 \x00° № [208] unsigned char 0 \x00° № [209] unsigned char 0 \x00° № [201] unsigned char 0 \x00°	⋈= [191]	unsigned char	0 '\x00'
⋈→ [194] unsigned char 168 'xa8' ⋈→ [195] unsigned char 0 'x00' ⋈→ [196] unsigned char 64 '@' ⋈→ [197] unsigned char 56 '8' ⋈→ [198] unsigned char 0 'x00' ⋈→ [199] unsigned char 0 'x00' ⋈→ [200] unsigned char 192 'xx0' ⋈→ [201] unsigned char 0 'x00' ⋈→ [202] unsigned char 0 'x00' ⋈→ [203] unsigned char 0 'x00' ⋈→ [204] unsigned char 0 'x00' ⋈→ [205] unsigned char 0 'x00' ⋈→ [206] unsigned char 0 'x00' ⋈→ [207] unsigned char 0 'x00' ⋈→ [208] unsigned char 0 'x00' ⋈→ [209] unsigned char 0 'x00' ⋈→ [210] unsigned char 0 'x00'	(x)= [192]	unsigned char	0 '\x00'
⋈ [195] unsigned char 0 \x00' ⋈ [196] unsigned char 64 '@' ⋈ [197] unsigned char 56 '8' ⋈ [198] unsigned char 0 \x00' ⋈ [199] unsigned char 0 \x00' ⋈ [200] unsigned char 192 \xc0' ⋈ [201] unsigned char 0 \x00' ⋈ [202] unsigned char 0 \x00' ⋈ [203] unsigned char 0 \x00' ⋈ [204] unsigned char 0 \x00' ⋈ [205] unsigned char 0 \x00' ⋈ [206] unsigned char 0 \x00' ⋈ [207] unsigned char 0 \x00' ⋈ [208] unsigned char 0 \x00' ⋈ [209] unsigned char 0 \x00' ⋈ [201] unsigned char 0 \x00' ⋈ [201] unsigned char 0 \x00'	(×)= [193]	unsigned char	0 '\x00'
№ [196] unsigned char 64 '@' № [197] unsigned char 56 '8' № [198] unsigned char 0 'x00' № [199] unsigned char 0 'x00' № [200 245] unsigned char 192 'xxc0' № [200] unsigned char 0 'x00' № [201] unsigned char 0 'x00' № [202] unsigned char 0 'x00' № [203] unsigned char 0 'x00' № [204] unsigned char 0 'x00' № [205] unsigned char 0 'x00' № [206] unsigned char 0 'x00' № [207] unsigned char 0 'x00' № [208] unsigned char 0 'x00' № [209] unsigned char 0 'x00' № [201] unsigned char 0 'x00'	(×)= [194]	unsigned char	168 '\xa8'
69	(×)= [195]	unsigned char	0 '\x00'
60+ [198] unsigned char 0 \x00' 60+ [199] unsigned char 0 \x00' √ [200] unsigned char 192 \xc0' 60+ [201] unsigned char 0 \x00' 60+ [202] unsigned char 0 \x00' 60+ [203] unsigned char 0 \x00' 60+ [204] unsigned char 0 \x00' 60+ [205] unsigned char 0 \x00' 60+ [206] unsigned char 255 \xff' 60+ [207] unsigned char 0 \x00' 60+ [208] unsigned char 0 \x00' 60+ [209] unsigned char 0 \x00' 60+ [210] unsigned char 0 \x00' 60+ [211] unsigned char 0 \x00'	⋈= [196]	unsigned char	64 '@'
⋈= [199] unsigned char 0 \x00' ✓ № [200] unsigned char 192 \xc0' ⋈= [201] unsigned char 0 \x00' ⋈= [202] unsigned char 0 \x00' ⋈= [203] unsigned char 0 \x00' ⋈= [204] unsigned char 0 \x00' ⋈= [205] unsigned char 0 \x00' ⋈= [206] unsigned char 255 \xff' ⋈= [207] unsigned char 0 \x00' ⋈= [208] unsigned char 0 \x00' ⋈= [209] unsigned char 0 \x00' ⋈= [210] unsigned char 0 \x00' ⋈= [211] unsigned char 0 \x00'	⋈- [197]	unsigned char	56 '8'
✓ (200] unsigned char 192 "xc0" № [201] unsigned char 0 "x00" № [202] unsigned char 0 "x00" № [203] unsigned char 0 "x00" № [204] unsigned char 0 "x00" № [205] unsigned char 0 "x00" № [206] unsigned char 255 "xff" № [207] unsigned char 0 "x00" № [208] unsigned char 0 "x00" № [209] unsigned char 0 "x00" № [210] unsigned char 0 "x00" № [211] unsigned char 0 "x00"	(×)= [198]	unsigned char	0 "\x00"
№ [200] unsigned char 192 'xxc0' № [201] unsigned char 0 'xx00' № [202] unsigned char 0 'xx00' № [203] unsigned char 0 'xx00' № [204] unsigned char 0 'xx00' № [205] unsigned char 0 'xx00' № [206] unsigned char 255 'xxff' № [207] unsigned char 0 'xx00' № [208] unsigned char 0 'xx00' № [209] unsigned char 0 'xx00' № [210] unsigned char 0 'xx00' № [211] unsigned char 0 'xx00'	⋈= [199]	unsigned char	0 '\x00'
№ [201] unsigned char 0 \x00' № [202] unsigned char 0 \x00' № [203] unsigned char 0 \x00' № [204] unsigned char 0 \x00' № [205] unsigned char 0 \x00' № [206] unsigned char 255 \xff' № [207] unsigned char 0 \x00' № [208] unsigned char 0 \x00' № [209] unsigned char 0 \x00' № [210] unsigned char 0 \x00' № [211] unsigned char 0 \x00'	√ [200 245]		
№ [202] unsigned char 0 \x00' № [203] unsigned char 0 \x00' № [204] unsigned char 0 \x00' № [205] unsigned char 0 \x00' № [206] unsigned char 255 \xff' № [207] unsigned char 0 \x00' № [208] unsigned char 0 \x00' № [209] unsigned char 0 \x00' № [210] unsigned char 0 \x00' № [211] unsigned char 0 \x00'	(×)= [200]	unsigned char	192 '\xc0'
№ [203] unsigned char 0 \x00' № [204] unsigned char 0 \x00' № [205] unsigned char 0 \x00' № [206] unsigned char 255 \xff' № [207] unsigned char 0 \x00' № [208] unsigned char 0 \x00' № [209] unsigned char 0 \x00' № [210] unsigned char 0 \x00' № [211] unsigned char 0 \x00'	(x)= [201]	unsigned char	0 '\x00'
№ [204] unsigned char 0 \x00' № [205] unsigned char 0 \x00' № [206] unsigned char 255 \xff' № [207] unsigned char 0 \x00' № [208] unsigned char 0 \x00' № [209] unsigned char 0 \x00' № [210] unsigned char 0 \x00' № [211] unsigned char 0 \x00'	(x)= [202]	unsigned char	0 '\x00'
⋈₂ [205] unsigned char 0 \x00' ⋈₂ [206] unsigned char 255 \xff' ⋈₂ [207] unsigned char 0 \x00' ⋈₂ [208] unsigned char 0 \x00' ⋈₂ [209] unsigned char 0 \x00' ⋈₂ [210] unsigned char 0 \x00' ⋈₂ [211] unsigned char 0 \x00'	(x)= [203]	unsigned char	0 '\x00'
⋈= [206] unsigned char 255 "xff" ⋈= [207] unsigned char 0 "x00" ⋈= [208] unsigned char 0 "x00" ⋈= [209] unsigned char 0 "x00" ⋈= [210] unsigned char 0 "x00" ⋈= [211] unsigned char 0 "x00"	(x)= [204]	unsigned char	0 '\x00'
⋈₂ [207] unsigned char 0 \x00° ⋈₂ [208] unsigned char 0 \x00° ⋈₂ [209] unsigned char 0 \x00° ⋈₂ [210] unsigned char 0 \x00° ⋈₂ [211] unsigned char 0 \x00°	⋈= [205]	unsigned char	0 '\x00'
⋈= [208] unsigned char 0 \x00' ⋈= [209] unsigned char 0 \x00' ⋈= [210] unsigned char 0 \x00' ⋈= [211] unsigned char 0 \x00'	(X)= [206]	unsigned char	255 '\xff'
⋈= [209] unsigned char 0 \x00' ⋈= [210] unsigned char 0 \x00' ⋈= [211] unsigned char 0 \x00'	(×)= [207]	unsigned char	0 '\x00'
⋈= [210] unsigned char 0 \x00' ⋈= [211] unsigned char 0 \x00'	⋈= [208]	unsigned char	0 '\x00'
⇔= [211] unsigned char 0 '\x00'	⇔= [209]	unsigned char	0 '\x00'
	⋈= [210]	unsigned char	0 '\x00'
	⋈= [211]	unsigned char	0 '\x00'
	(x)= [212]		0 '\x00'

(×)= [213]	unsigned char	0 '\x00'
(×)= [214]	unsigned char	0 '\x00'
⋈= [215]	unsigned char	0 '\x00'
⋈= [216]	unsigned char	0 '\x00'
(×)= [217]	unsigned char	0 '\x00'
(×)= [218]	unsigned char	0 '\x00'
⇔ [219]	unsigned char	0 '\x00'
(×)= [220]	unsigned char	0 '\x00'
(x)= [221]	unsigned char	0 '\x00'
(×)= [222]	unsigned char	0 '\x00'
(×)= [223]	unsigned char	0 '\x00'
(x)= [224]	unsigned char	0 '\x00'
(x)= [225]	unsigned char	0 '\x00'
⋈= [226]	unsigned char	168 '\xa8'
(x)= [227]	unsigned char	0 '\x00'
(x)= [228]	unsigned char	64 '@'
(x)= [229]	unsigned char	56 '8'
(×)= [230]	unsigned char	0 '\x00'
(×)= [231]	unsigned char	0 '\x00'
(x)= [232]	unsigned char	0 '\x00'
(x)= [233]	unsigned char	0 '\x00'
(x)= [234]	unsigned char	0 '\x00'
(×)= [235]	unsigned char	0 '\x00'
(x)= [236]	unsigned char	0 '\x00'
(x)= [237]	unsigned char	0 '\x00'
(×)= [238]	unsigned char	0 '\x00'
(x)= [239]	unsigned char	0 '\x00'
(×)= [240]	unsigned char	95 '_'
(×)= [241]	unsigned char	85 'U'
(x)= [242]	unsigned char	66 'B'
(x)= [243]	unsigned char	57 '9'
(x)= [244]	unsigned char	52 '4'
(X)= [245]	unsigned char	57 '9'