

SHENZHEN SPITZER ELECTRONIC CO., LTD.

承认书

SPECIFICATION FOR APPROVAL

Customer Code : 145

Part Description : Transformer

Cust. P/N :

Comcode:

Supplier P/N : SPT-10E2877-T

Revision Date : 2014/02/12

Manufacturer:

Customer Confirmation:

Draft	Check	Approval

R&D	Project	Technic	Safety standard

承制方：深圳市斯比特电子有限公司

Manufacturer: Shenzhen Spitzer Electronic Co., Ltd.

地址：深圳市宝安区福永镇塘尾村富源工业区 B2 栋

Addr: Building B2, Tangwei Fuyuan Industrial Zone


Fuyong, Baoan Dist. Shenzhen China 518103

Tel: : +86-755-33885266 Fax: +86-755-81460753

Http : www.sz-spt.com


REV.	REV. record .	Engineer	Rev. Date	REV.	REV. record .	Engineer	Rev. Date
01	New filing						

1. 安装尺寸及外形图(CONFIGURATION & DIMENSIONS)



2.内部结构图(WINDING CONSTRUCTION)

(用图示表明骨架中各绕组、绝缘层、隔离带的位置分布)




拟 制:

审 核:

批 准:

3. 线圈联线图 (SCHEMATIC)



4. 电气参数

NO.	Item	Terminal	Spec.	Test condition	Instrument
1	Inductance	N1(1—2)	0.926mH±10%	1kHz 1.0V SER 25°C	LCR2816B
		N2(5—6)	3.55mH±10%		
		N3(3—4)	0.926mH±10%		
2	HI-POT	PRI VS. SEC.	1500VAC	3mA, 60Sec.	CJ2670
		COIL VS. CORE	1500VAC		
3	insulation resistance	COIL VS. COIL	100Mohm Min.	DC 500V	MF2511
		COIL VS. CORE			

5.包装及外观要求(Package and Visual requirement)

5.1 包装(PACKAGE REQUIREMENT)

1)包装箱上应标明产品型号、名称、数量、出厂日期、承制方名称及出厂检验章；

Part Number, Quantity, Date Code, Manufacturer Name, and QC mark should be marked on the Carton.

2)货物运达客户方后，包装箱封条应完好，箱体无破损、开裂等现象；

The package should be arrived at customer's factory without damage.

3)电感用木箱或其他材料包装，方便拆卸，四周用软性材料填充；

The parts should be packed in good condition and filled with soft materials.

5.2 外观(Visual requirement)

1)产品应有合格证和耐擦防水洗标签，应注明型号、规格；

Each part should be marked with P/N and date code.

拟 制:	审 核:	批 准:
------	------	------

2)产品外观整洁，应无破损、划伤；
The part should be clean, no damage and nick.

5.3 检验(TEST REQUIREMENT)

1)产品生产中必须全数进行电气性能，抗电强度检测；箱内应有 100%电气性能合格保证书或检测报告；
The parts should be 100% tested according to the spec. Sampling test report should be included in each shipment.

2)产品出货前按批次，必须根据承认书按国家行业标准进行抽样检验，合格后出具出厂检验报告，记录抽样测试数据，在每批次包装尾箱中放置一份；检验报告须注明 100%耐压测试合格。注： 批次按定单号发货为准。

The parts should be sampling tested according to national standard before the shipment, sampling test data should be recorded in the test report. The test report should be in one carton of each shipment and mark the carton accordingly. 100% Hi-pot OK should be marked clearly.

6.更改说明

No.	Date	Edition	Content	Reason	Engineer	Check
1						
2						
3						

拟 制:	审 核:	批 准:
------	------	------