

Restricted Chemicals Test Results

Device - TPS62162DSGR

Texas Instruments Incorporated (TI) provides Restricted Chemical Test Reports as a courtesy to TI customers. These third-party reports are believed by TI to be accurate as of the date provided, and should not be regarded as the maximum concentration value of the substances in TI products. Proprietary supply chain information including supplier names, locations and inventory codes has been redacted from this document without impact to report accuracy. This report is intended only for use by the party to which it was delivered in support of their commercial relationship with TI, and is subject to TI's Important Notice

http://www.ti.com/legal/important-notice-and-disclaimer.html

Important Information/Disclaimer

TI bases its material content information on information provided by third-party suppliers and has taken, and continues to take, reasonably diligent steps to provide any required or available information. TI may not have conducted destructive testing or chemical analysis on incoming materials and chemicals. TI and TI suppliers may consider certain information to be proprietary, and thus certain information may not be available for release by TI. The material content information is provided by TI "as is."

For additional information, please contact<u>TI customer support.</u>



Table Of Contents

TI Report Number	Component	Analysis Type	Test Date
86235877	Mold Compound	RoHS 10 & Halogens	11/11/2024
83245159	Die Attach Adhesive	RoHS 10 & Halogens	08/08/2024
73864618	Semiconductor Device	RoHS 10 & Halogens	05/28/2024
74957909	Lead Frame Plating	Other-2011/65/EU	05/09/2024
74957911	Lead Frame Plating	Other-2011/65/EU	05/09/2024
74957913	Lead Frame Plating	Other-2011/65/EU	05/09/2024
74886581	Lead Frame	Other-2011/65/EU	05/09/2024
63721121	Bond Wire	RoHS 10 & Halogens	09/01/2023




TI Report Number: 86235877

Component : Mold Compound

Analysis Type: RoHS 10 & Halogens

Analysis Date: 11/11/2024





o.: Date: 11-Nov-2024

Page: 1 of 15

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By

:

Sample Name

: EPOXY MOLDING COMPOUND

Style/Item No. : G770H TYPE CD

Sample Receiving Date

: 04-Nov-2024

Testing Period

: 04-Nov-2024 to 11-Nov-2024

Test Requested

(1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) Please refer to next pages for the other item(s).

Test Results

Please refer to following pages.

Conclusion

(1) Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.



Date: 11-Nov-2024	Page: 2 of 15
-------------------	---------------

Test Part Description

No.1 : BLACK EPOXY MOLDING COMPOUND

Test Result(s)

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Cadmium (Cd)	With reference to IEC 62321-5: 2013,	mg/kg	2	n.d.	100
	analysis was performed by ICP-OES.				
Lead (Pb)	With reference to IEC 62321-5: 2013,	mg/kg	2	n.d.	1000
	analysis was performed by ICP-OES.				
Mercury (Hg)	With reference to IEC 62321-4: 2013+	mg/kg	2	n.d.	1000
	AMD1: 2017, analysis was performed				
	by ICP-OES.				
Hexavalent Chromium Cr(VI)	With reference to IEC 62321-7-2:	mg/kg	8	n.d.	1000
	2017, analysis was performed by UV-				
	VIS.				
Monobromobiphenyl		mg/kg	5	n.d.	-
Dibromobiphenyl		mg/kg	5	n.d.	-
Tribromobiphenyl		mg/kg	5	n.d.	-
Tetrabromobiphenyl		mg/kg	5	n.d.	-
Pentabromobiphenyl	With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.	-
Hexabromobiphenyl	analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Heptabromobiphenyl	analysis was performed by GC/1813.	mg/kg	5	n.d.	-
Octabromobiphenyl		mg/kg	5	n.d.	-
Nonabromobiphenyl		mg/kg	5	n.d.	-
Decabromobiphenyl		mg/kg	5	n.d.	-
Sum of PBBs		mg/kg	ı	n.d.	1000
Monobromodiphenyl ether		mg/kg	5	n.d.	-
Dibromodiphenyl ether		mg/kg	5	n.d.	-
Tribromodiphenyl ether		mg/kg	5	n.d.	-
Tetrabromodiphenyl ether		mg/kg	5	n.d.	-
Pentabromodiphenyl ether	With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.	-
Hexabromodiphenyl ether	analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Heptabromodiphenyl ether		mg/kg	5	n.d.	ı
Octabromodiphenyl ether		mg/kg	5	n.d.	ı
Nonabromodiphenyl ether		mg/kg	5	n.d.	-
Decabromodiphenyl ether		mg/kg	5	n.d.	-
Sum of PBDEs		mg/kg	=	n.d.	1000



Date: 11-Nov-2024 Page: 3 of 15

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Antimony (Sb) (CAS No.: 7440-36-0)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.	-
	analysis was performed by ICP-OES.				
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.	-
	analysis was performed by ICP-OES.				
Arsenic (As) (CAS No.: 7440-38-2)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.	-
	analysis was performed by ICP-OES.				
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α -HBCDD, β -HBCDD, γ -HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	With reference to IEC 62321: 2008, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Perfluorooctane sulfonates and its salts (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluorooctanoic acid and its salts (PFOA and its salts) (CAS No.: 335-67-1 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Fluorine (F) (CAS No.: 14762-94-8)		mg/kg	50	n.d.	-
Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582: 2016,	mg/kg	50	n.d.	-
Bromine (Br) (CAS No.: 10097-32-2)	analysis was performed by IC.	mg/kg	50	n.d.	-
lodine (I) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
Phthalates					
Dibutyl phthalate (DBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Butyl benzyl phthalate (BBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Diisobutyl phthalate (DIBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Di-(2-ethylhexyl) phthalate (DEHP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-



No.:	Date: 11-Nov-2024
------	-------------------

Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.
- 6. This is the additional test report of EKR24B00143.

and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 4 of 15



No.:	Date: 11-Nov-2024	Page: 5 of 15
------	-------------------	---------------

PFAS Remark:

The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.)

Group Name	Substance Name	CAS No.
	Perfluorooctane sulfonates (PFOS)	1763-23-1
	Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)	29081-56-9
	Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂)	70225-14-8
	Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-N(C ₂ H ₅) ₄)	56773-42-3
	N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1- sulfonate (PFOS-DDA)	251099-16-8
	TetrabutylAmmonium perfluorooctanesulfonate (PFOS- $N(C_4H_9)_4$)	111873-33-7
	Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
PFOS, its salts & derivatives	Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
	Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate	71463-74-6
	Perfluorooctanesulfonate (anion)	45298-90-6
	1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, compd. with N,N-diethylethanamine (1:1) (PFOS-N(C ₂ H ₅) ₃)	54439-46-2
	Methanaminium, N,N,N-trimethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N($\mathrm{CH_3}$) ₄)	56773-44-5
	1-Pentanaminium, N,N,N-tripropyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1) (PFOS-N(C ₃ H ₇) ₃ (C ₅ H ₁₁))	56773-56-9
	$ \begin{array}{c} \hbox{1-Butanaminium, N,N-dibutyl-N-methyl-,} \\ \hbox{1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-} \\ \hbox{octanesulfonate (1:1) (PFOS-N(C_4H_9)_3(CH_3))} \end{array} $	124472-68-0



Page: 6 of 15 Date: 11-Nov-2024

Group Name	Substance Name	CAS No.
	lodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1)	213740-80-8
	Sulfonium, diphenyl(2,4,6-trimethylphenyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1)	258341-99-0
	Pyridinium, 1-hexadecyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	334529-63-4
PFOS, its salts & derivatives	1-Decanaminium, N,N,N-triethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1)	773895-92-4
	Tetrabutylphosphonium perfluorooctane sulfonate (PFOS-P(C ₄ H ₉) ₄))	2185049-59-4
	Perfluorooctanesulfonic acid diethylamine salt (PFOS-C ₄ H ₁₁ N)	2205029-08-7
	Heptyldimethyl{2-[(2-methylprop-2-enoyl)oxy]ethyl}azanium perfluorooctanesulfonate (PFOS-C ₁₅ H ₃₀ NO ₂)	1203998-97-3
	1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, 1,1'-anhydride (PFOSAN)	423-92-7
	Perfluorooctanoic acid (PFOA)	335-67-1
	Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	Silver perfluorooctanote (PFOA-Ag)	335-93-3
	Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
	Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6
	Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
PFOA, its salts & derivatives	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+) (PFOA-Cr(3 ⁺))	68141-02-6
	Pentadecafluorooctanoic acidpiperazine (2/1)PFOA-NH(C₄H₁₀N)	423-52-9
	Pentadecafluorooctanoate (anion)	45285-51-6
	Perfluorooctanoic Anhydride	33496-48-9
	Ethanaminium, N,N,N-triethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	98241-25-9
	Tetramethylammoniumperfluoroctanoat	32609-65-7
	1-Propanaminium, N,N,N-tripropyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	277749-00-5



Date: 11-Nov-2024 Page: 7 of 15

Group Name	Substance Name	CAS No.
	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, potassium salt, hydrate (1:1:2) (PFOA- $K(H_2O)_2$)	98065-31-7
	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, compd. with ethanamine (1:1) (PFOA- C_2H_7N)	1376936-03-6
PFOA, its salts & derivatives	Octanoic acid, pentadecafluoro-, compd. with pyridine (1:1) (9CI) (PFOA- C_5H_5N)	95658-47-2
	Pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA- $C_{10}H_{14}N_2$)	1514-68-7
	1-Octanaminium, N,N,N-trimethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1) (PFOA- $C_{11}H_{26}N$)	927835-01-6




o.: Date: 11-Nov-2024 Page: 8 of 15

Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.


(Cr⁶⁺ test method excluded)





Page: 9 of 15 Date: 11-Nov-2024

PBB/PBDE analytical FLOW CHART






Date: 11-Nov-2024 Page: 10 of 15

Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【Reference method: US EPA 3051A、US EPA 3052】




^{*} US EPA 3051A method does not add HF.



No.: Date: 11-Nov-2024 Page: 11 of 15

Analytical flow chart - HBCDD






Date: 11-Nov-2024

Page: 12 of 15


Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





o.: Date: 11-Nov-2024 Page: 13 of 15

Analytical flow chart - Halogen






Io.: Date: 11-Nov-2024 Page: 14 of 15

Analytical flow chart of phthalate content

【Test method: IEC 62321-8】





Date: 11-Nov-2024



and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 15 of 15



TI Report Number: 83245159

Component : Die Attach Adhesive

Analysis Type: RoHS 10 & Halogens

Analysis Date: 08/08/2024





No.:

Date: 08-Aug-2024

Page: 1 of 16

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By

Sample Name :

Order No. :

Sample Receiving Date : 01-Aug-2024

Testing Period : 01-Aug-2024 to 08-Aug-2024

Test Requested : Testing item(s) is/are specified by client. Please refer to result table for testing

item(s).

Test Results : Please refer to following pages.





No.:	

Date: 08-Aug-2024 Page: 2 of 16

Test Part Description

No.1 : MIXED ALL PARTS PLASTIC FILM (INCLUDING THE RELEASE LINNER)

Test Result(s)

Test Item(s)	Method	Unit	MDL	Result
				No.1
Cadmium (Cd)	With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.	mg/kg	2	n.d.
Lead (Pb)	With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.	mg/kg	2	n.d.
Mercury (Hg)	With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.	mg/kg	2	n.d.
Hexavalent Chromium Cr(VI)	With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.	mg/kg	8	n.d.
Monobromobiphenyl		mg/kg	5	n.d.
Dibromobiphenyl		mg/kg	5	n.d.
Tribromobiphenyl		mg/kg	5	n.d.
Tetrabromobiphenyl		mg/kg	5	n.d.
Pentabromobiphenyl		mg/kg	5	n.d.
Hexabromobiphenyl		mg/kg	5	n.d.
Heptabromobiphenyl		mg/kg	5	n.d.
Octabromobiphenyl		mg/kg	5	n.d.
Nonabromobiphenyl		mg/kg	5	n.d.
Decabromobiphenyl		mg/kg	5	n.d.
Sum of PBBs	With reference to IEC 62321-6: 2015,	mg/kg	-	n.d.
Monobromodiphenyl ether	analysis was performed by GC/MS.	mg/kg	5	n.d.
Dibromodiphenyl ether		mg/kg	5	n.d.
Tribromodiphenyl ether		mg/kg	5	n.d.
Tetrabromodiphenyl ether		mg/kg	5	n.d.
Pentabromodiphenyl ether		mg/kg	5	n.d.
Hexabromodiphenyl ether		mg/kg	5	n.d.
Heptabromodiphenyl ether		mg/kg	5	n.d.
Octabromodiphenyl ether		mg/kg	5	n.d.
Nonabromodiphenyl ether		mg/kg	5	n.d.
Decabromodiphenyl ether		mg/kg	5	n.d.
Sum of PBDEs		mg/kg	-	n.d.



Date: 08-Aug-2024

Test Item(s)	Method	Unit	MDL	Result
				No.1
Butyl benzyl phthalate (BBP)		mg/kg	50	n.d.
Dibutyl phthalate (DBP)		mg/kg	50	n.d.
Diisobutyl phthalate (DIBP)		mg/kg	50	n.d.
Di-(2-ethylhexyl) phthalate (DEHP)		mg/kg	50	n.d.
Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.
Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1)	, ,	mg/kg	50	n.d.
Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0)		mg/kg	50	n.d.
Antimony (Sb) (CAS No.: 7440-36-0)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	59.6
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	With reference to IEC 62321: 2008, analysis was performed by GC/MS.	mg/kg	5	n.d.
Perfluorooctane sulfonates and its salts (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.
Perfluorooctanoic acid and its salts (PFOA and its salts) (CAS No.: 335-67-1 and its salts)	analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.
Tributyl tin (TBT)	With reference to ISO 17353: 2004, analysis was performed by GC/FPD.	mg/kg	0.03	n.d.
Bis(tributyltin) oxide (TBTO) (CAS No.: 56-35-9)	Calculated from the result of Tributyl Tin (TBT).	mg/kg	0.03 ▲	n.d.
Triphenyl tin (TPT)	With reference to ISO 17353: 2004, analysis was performed by GC/FPD.	mg/kg	0.03	n.d.
Dioctyl tin (DOT)	With reference to ISO 17353: 2004, analysis was performed by GC/FPD.	mg/kg	0.03	n.d.
Dibutyl tin (DBT)	With reference to ISO 17353: 2004, analysis was performed by GC/FPD.	mg/kg	0.03	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 3 of 16



Date: 08-Aug-2024

Test Item(s)	Method	Unit	MDL	Result
				No.1
Fluorine (F) (CAS No.: 14762-94-8)		mg/kg	50	n.d.
Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582: 2016,	mg/kg	50	95.7
Bromine (Br) (CAS No.: 10097-32-2)	analysis was performed by IC.	mg/kg	50	n.d.
lodine (I) (CAS No.: 14362-44-8)		mg/kg	50	n.d.

Note:

1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm

2. MDL = Method Detection Limit

3. n.d. = Not Detected (Less than MDL)

4. "-" = Not Regulated

5. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula : $AX = A \times F$

AX	Α	F
Bis(tributyltin)oxide (TBTO)	Tributyl Tin (TBT)	1.0276

Parameter Conversion Table: https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others

6. The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing. The above result(s) was/were only given as the informality value.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 4 of 16



No.:	

Date: 08-Aug-2024 Page: 5 of 16

PFAS Remark:

The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.)

Group Name	Substance Name	CAS No.
	Perfluorooctane sulfonates (PFOS)	1763-23-1
	Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
PFOS, its salts & derivatives	Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)	29081-56-9
	Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂)	70225-14-8
	Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS- $N(C_2H_5)_4$)	56773-42-3
	N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1- sulfonate (PFOS-DDA)	251099-16-8
	TetrabutylAmmonium perfluorooctanesulfonate (PFOS- $N(C_4H_9)_4$)	111873-33-7
·	Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
	Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate	71463-74-6
	Perfluorooctanesulfonate (anion)	45298-90-6
	1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, compd. with N,N-diethylethanamine (1:1) (PFOS-N(C_2H_5) ₃)	54439-46-2
	Methanaminium, N,N,N-trimethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N($\mathrm{CH_3}$) ₄)	56773-44-5



o.: Date: 08-Aug-2024

Group Name	Substance Name	CAS No.
PFOS, its salts & derivatives	1-Pentanaminium, N,N,N-tripropyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(C_3H_7) $_3(C_5H_{11})$)	56773-56-9
	1-Butanaminium, N,N-dibutyl-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(C_4H_9) ₃ (CH ₃))	124472-68-0
	lodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1)	213740-80-8
	Sulfonium, diphenyl(2,4,6-trimethylphenyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1)	258341-99-0
	Pyridinium, 1-hexadecyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	334529-63-4
	1-Decanaminium, N,N,N-triethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1)	773895-92-4
	Tetrabutylphosphonium perfluorooctane sulfonate (PFOS- $P(C_4H_9)_4$))	2185049-59-4
	Perfluorooctanesulfonic acid diethylamine salt (PFOS-C ₄ H ₁₁ N)	2205029-08-7
	$\label{lem:heptyldimethyl} Heptyldimethyl \ \{2-[(2-methylprop-2-enoyl)oxy]ethyl\} azanium \\ perfluorooctanesulfonate (PFOS-C_{15}H_{30}NO_2)$	1203998-97-3
	1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluoro-, 1,1'-anhydride (PFOSAN)	423-92-7
	Perfluorooctanoic acid (PFOA)	335-67-1
	Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	Silver perfluorooctanote (PFOA-Ag)	335-93-3
	Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
DEOA its salts & dorivatives	Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
PFOA, its salts & derivatives	Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6
	Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+) (PFOA-Cr(3 ⁺))	68141-02-6
	Pentadecafluorooctanoic acidpiperazine (2/1)PFOA- $NH(C_4H_{10}N)$	423-52-9
	Pentadecafluorooctanoate (anion)	45285-51-6

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 6 of 16



Date: 08-Aug-2024

 $C_{10}H_{14}N_2$

Group Name	Substance Name	CAS No.
	Perfluorooctanoic Anhydride	33496-48-9
	Ethanaminium, N,N,N-triethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	98241-25-9
	Tetramethylammoniumperfluoroctanoat	32609-65-7
	1-Propanaminium, N,N,N-tripropyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	277749-00-5
	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, potassium salt, hydrate (1:1:2) (PFOA-K(H_2O) ₂)	98065-31-7
PFOA, its salts & derivatives	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, compd. with ethanamine (1:1) (PFOA- C_2H_7N)	1376936-03-6
	Octanoic acid, pentadecafluoro-, compd. with pyridine (1:1) (9CI) (PFOA- C_5H_5N)	95658-47-2

pentadecafluorooctanoate (1:1) (PFOA- C₁₁H₂₆N)

Pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA-

1-Octanaminium, N,N,N-trimethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 7 of 16

1514-68-7


927835-01-6



No.: Date: 08-Aug-2024

Analytical flow chart of Heavy Metal

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 8 of 16



No.:

Page: 9 of 16 Date: 08-Aug-2024

PBB/PBDE analytical FLOW CHART






No.:

Page: 10 of 16 Date: 08-Aug-2024

Analytical flow chart of phthalate content

【Test method: IEC 62321-8】






No.:

Date: 08-Aug-2024 Page: 11 of 16

Analytical flow chart of Elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【Reference method: US EPA 3051、US EPA 3052】




* US EPA 3051 method does not add HF.



No.:

Page: 12 of 16 Date: 08-Aug-2024


Analytical flow chart - HBCDD





Page: 13 of 16 Date: 08-Aug-2024


Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





Date: 08-Aug-2024

Analytical flow chart - Organic-Tin




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 14 of 16



Date: 08-Aug-2024

Analytical flow chart of Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 15 of 16



No.:	

Page: 16 of 16 Date: 08-Aug-2024

* The tested sample / part is marked by an arrow if it's shown on the photo. *





TI Report Number: 73864618

Component : Semiconductor Device

Analysis Type: RoHS 10 & Halogens

Analysis Date: 05/28/2024



Test Report No. Date: May 28, 2024 Page 1 of 10



This report supersedes all previous documents bearing the test report number

The following sample(s) was/were submitted and identified by/on behalf of the client as:

Sample Description: Standard TI Wafer

Sample Received Date: 05/16/2024

Testing Period: **05/16/2024 – 05/28/2024**

Revision Date : 05/28/2024

Revision Summary : Typo on Testing Period section revised from "06/16/2024 - 05/28/2024"

to "05/16/2024 - 05/28/2024".

Test Requested : Please refer to the result summary.

Test Method & Results : Please refer to next page(s).

Result Summary :

Test(s)	Requested	Conclusion
1.	RoHS Directive (EU) 2015/863 Amending Annex II to Directive 2011/65/EU	PASS
2.	Halogen Content	See Test Results
3.	Element Content (As Requested by Client)	See Test Results



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."



Test Report No. Page 2 of 10

1. RoHS Directive (EU) 2015/863 Amending Annex II to Directive 2011/65/EU

Test Item(s):	Unit	Test Method	Result 1	MDL	Limit
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5:2013	ND	2	100
Lead (Pb)	mg/kg	(Determination of Cd and Pb by ICP-OES and /or ICP-MS)	ND	2	1000
Mercury (Hg)	mg/kg	With reference to IEC 62321-4:2013+A1:2017 (Determination of Hg by ICP-OES and/ or ICP-MS)	ND	2	1000
Hexavalent Chromium (CrVI) #	mg/kg	With reference to IEC 62321-7-2:2017 (Determination of CrVI by UV-VIS)	ND*	8	
Sum of PBBs	mg/kg		ND	-	1000
Monobromobiphenyl	mg/kg		ND	5	-
Dibromobiphenyl	mg/kg		ND	5	-
Tribromobiphenyl	mg/kg		ND	5	-
Tetrabromobiphenyl	mg/kg		ND	5	-
Pentabromobiphenyl	mg/kg		ND	5	-
Hexabromobiphenyl	mg/kg		ND	5	-
Heptabromobiphenyl	mg/kg		ND	5	-
Octabromobiphenyl	mg/kg		ND	5	-
Nonabromobiphenyl	mg/kg	With reference to IEC	ND	5	-
Decabromobiphenyl	mg/kg	62321-6:2015	ND	5	-
Sum of PBDEs	mg/kg	(Determination of PBB and	ND	-	1000
Monobromodiphenyl ether	mg/kg	PBDE by GC-MS)	ND	5	-
Dibromodiphenyl ether	mg/kg		ND	5	-
Tribromodiphenyl ether	mg/kg		ND	5	-
Tetrabromodiphenyl ether	mg/kg		ND	5	-
Pentabromodiphenyl ether	mg/kg		ND	5	-
Hexabromodiphenyl ether	mg/kg		ND	5	-
Heptabromodiphenyl ether	mg/kg		ND	5	-
Octabromodiphenyl ether	mg/kg		ND	5	-
Nonabromodiphenyl ether	mg/kg		ND	5	-
Decabromodiphenyl ether	mg/kg		ND	5	-
Bis (2-ethylhexyl) Phthalate (DEHP)	mg/kg	IEC 62321-8:2017	ND	50	1000
Butyl Benzyl Phthalate (BBP)	mg/kg	(Determination of DEHP, BBP, DBP and DIBP by	ND	50	1000
Dibutyl Phthalate (DBP)	mg/kg	GC-MS)	ND	50	1000
Diisobutyl Phthalate (DIBP)	mg/kg	30 W3)	ND	50	1000
Conclusion	/	/	PASS	/	/

Sample Description:

1. Standard TI Wafer

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."



Test Report Date: May 28, 2024 Page 3 of 10

Note:

- (a) mg/kg = ppm; 0.1wt% = 1000ppm
- (b) ND= not detected
- (c) MDL = Method Detection Limit
- (d) # =
- The sample is positive for CrVI if the CrVI concentration is greater than 0.13 µg/cm2. The sample coating is considered to contain CrVI
- The sample is negative for CrVI if CrVI is ND (concentration less than 0.10 µg/cm2). The b. coating is considered a non-CrVI based coating.
- The result between 0.10 µg/cm2 and 0.13 µg/cm2 is considered to be inconclusive unavoidable coating variations may influence the determination.
- d. For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing represent status of the sample at the time of
- (e) = not regulated
- * = Total Chromium analysis by ICP-MS and/or ICP-OES was not detected in submitted sample. Therefore, Hexavalent Chromium determination using UV-Visible Spectroscopy was not
- (g) IEC 62321 series is equivalent to EN 62321 series http://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101::::FSP ORG ID,FSP LANG ID:



Test Report Date: May 28, 2024 Page 4 of 10

2. Halogen Content

Test Method(s): With reference to IEC 62321-3-2:2020 "Determination of certain substances in electrotechnical products - Part 3-2: Screening - Fluorine, bromine and chlorine in polymer and electronics by combustion-ion chromatography (C-IC), and/or with reference to BS EN 14582:2016 - Analysis was performed by ion chromatography.

Test Item(s):	Unit	Results (ppm)	Reporting Limit (ppm)
Chlorine (CI)	mg/kg	ND	50
Bromine (Br)	mg/kg	ND	50
Fluorine (F)	mg/kg	ND	50

Sample Description:

1. Standard TI Wafer

Note: 1. ppm = parts per million

2. mg/kg = ppm

3. 1% = 10000 ppm (mg/kg)

4. ND = Not Detected, reported when the reading is less than the reporting limit value.

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only.



Test Report Date: May 28, 2024 Page 5 of 10

3. Element Content (As Requested by Client)

Test Method: With reference to US EPA Method 3050B followed by analysis using ICP-MS.

Test Item		Result (mg/kg)	Reporting
rest item		1	Limit (mg/kg)
Arsenic	(As)	ND	5
Beryllium	(Be)	ND	5
Antimony	(Sb)	ND	5

Sample Description:

1. Standard TI Wafer

Note: 1. ppm = parts per million

2. mg/kg = ppm

3. 1% = 10000 ppm (mg/kg)


4. ND = Not Detected, reported when the reading is less than the reporting limit value.

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only.



Test Report No. Date: May 28, 2024 Page 6 of 10

Flowchart for RoHS:



Note: 1. The Cr, Cd, Pb and Hg contents test on polymeric samples were dissolved totally by preconditioning method according to above flow chart.


2. Cr⁶⁺ is performed only when total Cr is detected

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."



Test Report Date: May 28, 2024 Page 7 of 10

Flowchart for Phthalates:




[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only.



Test Report Date: May 28, 2024 Page 8 of 10

Flow Chart of Halogen Test by Combustion Ion Chromatography:




[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only.



Test Report No. Page 9 of 10

Halogen Testing Flow Chart (EN 14582):



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."



Test Report Date: May 28, 2024 Page 10 of 10



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only.



TI Report Number: 74957909

Component: Lead Frame Plating

Analysis Type: Other-2011/65/EU

Analysis Date: 05/09/2024





The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By

Sample Name

Pd PLATING LAYER

Sample Receiving Date

______ 09-May-2024

Testing Period

09-May-2024 to 20-May-2024

Test Requested

As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) Please refer to next pages for the other item(s).

Test Results

Please refer to following pages.

Conclusion

Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.



Date: 21-May-2024	Page: 2 of 21
Dutc. ZI May Zoz-	1 age. 2 01 2

Test Part Description

No.1 : PLATING LAYER OF SILVER COLORED METAL

No.2 : COPPER/SILVER COLORED METAL (INCLUDING THE PLATING LAYER)

Test Result(s)

Test Item(s)	Method	Unit	t MDL	Result		Limit
				No.1	No.2	
Cadmium (Cd) (CAS No.: 7440-43-	IEC 62321-5: 2013 application of	mg/kg	2	n.d.		100
9)	modified digestion by surface					
Lead (Pb) (CAS No.: 7439-92-1)	etching, analysis was performed by ICP-OES.	mg/kg	2	n.d.		1000
Mercury (Hg) (CAS No.: 7439-97-6)	IEC 62321-4: 2013+AMD1: 2017 application of modified digestion by surface etching, analysis was performed by ICP-OES.	mg/kg	2	n.d.		1000
Hexavalent Chromium Cr(VI) (#2)	With reference to IEC 62321-7-1: 2015, analysis was performed by UV-VIS.	μg/cm²	0.1	n.d.		ı
Monobromobiphenyl		mg/kg	5		n.d.	-
Dibromobiphenyl		mg/kg	5		n.d.	ı
Tribromobiphenyl		mg/kg	5		n.d.	-
Tetrabromobiphenyl		mg/kg	5		n.d.	ı
Pentabromobiphenyl		mg/kg	5		n.d.	-
Hexabromobiphenyl		mg/kg	5		n.d.	-
Heptabromobiphenyl		mg/kg	5		n.d.	ı
Octabromobiphenyl		mg/kg	5		n.d.	ı
Nonabromobiphenyl		mg/kg	5		n.d.	ı
Decabromobiphenyl	With reference to IEC 62321-6:	mg/kg	5		n.d.	-
Sum of PBBs	2015, analysis was performed by	mg/kg	-		n.d.	1000
Monobromodiphenyl ether	GC/MS.	mg/kg	5		n.d.	ı
Dibromodiphenyl ether	GC/1VI3.	mg/kg	5		n.d.	ı
Tribromodiphenyl ether		mg/kg	5		n.d.	ı
Tetrabromodiphenyl ether		mg/kg	5		n.d.	-
Pentabromodiphenyl ether		mg/kg	5		n.d.	=
Hexabromodiphenyl ether		mg/kg	5		n.d.	-
Heptabromodiphenyl ether		mg/kg	5		n.d.	-
Octabromodiphenyl ether		mg/kg	5		n.d.	-
Nonabromodiphenyl ether		mg/kg	5		n.d.	-
Decabromodiphenyl ether		mg/kg	5		n.d.	
Sum of PBDEs		mg/kg	-		n.d.	1000



Date: 21-May-2024 Page: 3 of 21

Test Item(s)	Test Item(s) Method Unit	Unit	MDL	Re	sult	Limit
				No.1	No.2	
Antimony (Sb) (CAS No.: 7440-36- 0)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2		n.d.	-
Antimony trioxide (Sb_2O_3) (CAS No.: 1309-64-4)	Calculated from the result of Antimony.	mg/kg	2▲		n.d.	-
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2		n.d.	-
Arsenic (As) (CAS No.: 7440-38-2)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2		n.d.	-
Polychlorinated biphenyls (PCBs)	With reference to US EPA 3550C:	mg/kg	0.5		n.d.	-
Polychlorinated naphthalene (PCNs)	2007, analysis was performed by GC/MS.	mg/kg	5		n.d.	-
Polychlorinated terphenyls (PCTs)	GC/M3.	mg/kg	0.5		n.d.	-
Short Chain Chlorinated Paraffins(C10-C13) (SCCP) (CAS No.: 85535-84-8)	With reference to ISO 18219-1: 2021, analysis was performed by GC/MS.	mg/kg	50		n.d.	-
Medium Chain Chlorinated Paraffins(C14-C17) (MCCP) (CAS No.: 85535-85-9)	With reference to ISO 18219-2: 2021, analysis was performed by GC/MS.	mg/kg	50		n.d.	-
Tetrabromobisphenol A (TBBP-A) (CAS No.: 79-94-7)	With reference to RSTS-E&E-121, analysis was performed by LC/MS.	mg/kg	10		n.d.	-
Bisphenol A (CAS No.: 80-05-7)	With reference to RSTS-CHEM-239- 1, analysis was performed by LC/MS/MS.	mg/kg	1		n.d.	-
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α-HBCDD, β- HBCDD, γ- HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	With reference to IEC 62321: 2008, analysis was performed by GC/MS.	mg/kg	5		n.d.	-
Polyvinyl chloride (PVC)	With reference to ASTM E1252: 2021, analysis was performed by FT-IR and Flame Test.	**	ı		Negative	-



o.: Date: 21-May-2024 Page: 4 of 21

Test Item(s)	Method	Method Unit ME		Re	sult	Limit
				No.1	No.2	
Fluorine (F) (CAS No.: 14762-94-8)		mg/kg	50		n.d.	-
Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582:	mg/kg	50		n.d.	-
Bromine (Br) (CAS No.: 10097-32-2)	2016, analysis was performed by IC.	mg/kg	50		n.d.	-
lodine (I) (CAS No.: 14362-44-8)		mg/kg	50		n.d.	-
Tributyl tin (TBT)		mg/kg	0.03		n.d.	-
Triphenyl tin (TPT)	With reference to ISO 17353: 2004,	mg/kg	0.03		n.d.	-
Dibutyl tin (DBT)	analysis was performed by GC/FPD.	mg/kg	0.03		n.d.	-
Dioctyl tin (DOT)		mg/kg	0.03		n.d.	-
Bis(tributyltin) oxide (TBTO) (CAS No.: 56-35-9)	Calculated from the result of Tributyl Tin (TBT).	mg/kg	0.03 🛦		n.d.	-
PFOS and its salts (CAS No.: 1763- 23-1 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01		n.d.	-
Perfluorooctanoic acid (PFOA) and it's salt (CAS No.: 335-67-1 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01		n.d.	-
Dibutyl phthalate (DBP)		mg/kg	50		n.d.	1000
Butyl benzyl phthalate (BBP)		mg/kg	50		n.d.	1000
Diisobutyl phthalate (DIBP)		mg/kg	50		n.d.	1000
Di-(2-ethylhexyl) phthalate (DEHP)		mg/kg	50		n.d.	1000
Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1)		mg/kg	50		n.d.	-
Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0)	With reference to IEC 62321-8:	mg/kg	50		n.d.	-
Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0)	2017, analysis was performed by GC/MS.	mg/kg	50		n.d.	-
Di-n-pentyl phthalate (DNPP) (CAS No.: 131-18-0)	CC/WS.	mg/kg	50		n.d.	-
Di-n-hexyl phthalate (DNHP) (CAS No.: 84-75-3)		mg/kg	50		n.d.	-
Bis(2-methoxyethyl) phthalate (DMEP) (CAS No.: 117-82-8)		mg/kg	50		n.d.	-
N-pentyl iso-pentyl phthalate (NPIPP) (CAS No.: 776297-69-9)		mg/kg	50		n.d.	-



No.: Date: 21-May-2024 Page: 5 of 21

Test Item(s)	Method	Unit		Re	sult	Limit
				No.1	No.2	
Diisopentyl phthalate (DIPP) (CAS No.: 605-50-5)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50		n.d.	-
1,2-Benzenedicarboxylic acid, di- C7-11-branched and linear alkyl esters (DHNUP) (CAS No.: 68515- 42-4)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50		n.d.	-
1,2-Benzenedicarboxylic acid, di- C6-8-branched alkyl esters, C7-rich (DIHP) (CAS No.: 71888-89-6)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50		n.d.	-
Phosphorus (P) (CAS No.: 7723-14- 0)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2		6.79	-

Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. "---" = Not Conducted
- 6. **= Qualitative analysis (No Unit)
- 7. Negative = Undetectable ; Positive = Detectable
- 8. (#2) =
 - a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μ g/cm². The sample coating is considered to contain Cr(VI).
 - b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 $\mu g/cm^2$). The coating is considered a non-Cr(VI) based coating
 - c. The result between 0.10 μ g/cm² and 0.13 μ g/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.
- 9. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula : $AX = A \times F$

AX	Α	F
Antimony trioxide (Sb ₂ O ₃)	Antimony	1.1971
Bis(tributyltin)oxide (TBTO)	Tributyl Tin (TBT)	1.0276

Parameter Conversion Table: https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others



No.: Date: 21-May-2024 Page: 6 of 21

10. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.



Date: 21-May-2024	Page: 7 of 21
-------------------	---------------

PFAS Remark:

The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.)

Group Name	Substance Name	CAS No.
	Perfluorooctane sulfonates (PFOS)	1763-23-1
	Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)	29081-56-9
	Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂)	70225-14-8
	Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS-N(C_2H_5) ₄)	56773-42-3
PFOS, its salts & derivatives	N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1- sulfonate (PFOS-DDA)	251099-16-8
	TetrabutylAmmonium perfluorooctanesulfonate (PFOS-N(C_4H_9) ₄)	111873-33-7
	Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	Perfluorooctanesulfonic acid, magnesium salt (PFOS-	91036-71-4
	Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
	Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctanesulfonate	71463-74-6
	Perfluorooctanoic acid (PFOA)	335-67-1
	Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	Potassium perfluorooctanoate (PFOA-K)	2395-00-8
DEOA Servelle On L. C. C.	Silver perfluorooctanote (PFOA-Ag)	335-93-3
PFOA, its salts & derivatives	Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
	Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6



o.: Date: 21-May-2024 Page: 8 of 21


Group Name	Substance Name	CAS No.
	Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
· · · · · · · · · · · · · · · · · · ·	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- pentadecafluoro-, chromium(3+) (PFOA-Cr(3 ⁺))	68141-02-6
	Pentadecafluorooctanoic acidpiperazine (2/1)PFOA-NH($C_4H_{10}N$)	423-52-9
	Pentadecafluorooctanoate (anion)	45285-51-6
	Perfluorooctanoic Anhydride	33496-48-9



Date: 21-May-2024

Flow Chart of Stripping method for metal analysis

The plating layer of samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 9 of 21



Date: 21-May-2024

PBB/PBDE analytical FLOW CHART




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 10 of 21



.: Date: 21-May-2024



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 11 of 21




No.:

Date: 21-May-2024

Analytical flow chart

* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 12 of 21



Date: 21-May-2024 Page: 13 of 21


TBBP-A analytical flow chart





.: Date: 21-May-2024

BPA analytical flow chart




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 14 of 21



.: Date: 21-May-2024

Analytical flow chart - HBCDD




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 15 of 21



.: Date: 21-May-2024

Analysis flow chart - PVC




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 16 of 21



.: Date: 21-May-2024

Analytical flow chart of Halogen




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 17 of 21



Date: 21-May-2024

Analytical flow chart - Organic-Tin




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 18 of 21



Date: 21-May-2024

Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 19 of 21



Date: 21-May-2024

Analytical flow chart of phthalate content

【Test method: IEC 62321-8】




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 20 of 21



Date: 21-May-2024



** End of Report **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 21 of 21



TI Report Number: 74957911

Component : Lead Frame Plating

Analysis Type: Other-2011/65/EU

Analysis Date: 05/09/2024



Test Report No.: Date: 21-May-2024 Page: 1 of 21

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By

:

Sample Name

Au PLATING LAYER

Sample Receiving Date

: 09-May-2024

Testing Period

: 09-May-2024 to 20-May-2024

Test Requested

(1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) Please refer to next pages for the other item(s).

Test Results

Please refer to following pages.

Conclusion

(1) Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.



Date: 21-May-2024	Page: 2 of 21

Test Part Description

No.1 : PLATING LAYER OF COPPER COLORED METAL

No.2 : COPPER COLORED METAL (INCLUDING THE PLATING LAYER)

Test Result(s)

Test Item(s)	Method	Unit	MDL	Result		Limit
				No.1	No.2	
Cadmium (Cd) (CAS No.: 7440-43-	IEC 62321-5: 2013 application of	mg/kg	2	n.d.		100
9)	modified digestion by surface					
Lead (Pb) (CAS No.: 7439-92-1)	etching, analysis was performed by ICP-OES.	mg/kg	2	n.d.		1000
Mercury (Hg) (CAS No.: 7439-97-6)	IEC 62321-4: 2013+AMD1: 2017 application of modified digestion by surface etching, analysis was performed by ICP-OES.	mg/kg	2	n.d.		1000
Hexavalent Chromium Cr(VI) (#2)	With reference to IEC 62321-7-1: 2015, analysis was performed by UV-VIS.	μg/cm²	0.1	n.d.		ı
Monobromobiphenyl		mg/kg	5		n.d.	-
Dibromobiphenyl		mg/kg	5		n.d.	ı
Tribromobiphenyl		mg/kg	5		n.d.	-
Tetrabromobiphenyl		mg/kg	5		n.d.	ı
Pentabromobiphenyl	1	mg/kg	5		n.d.	-
Hexabromobiphenyl		mg/kg	5		n.d.	-
Heptabromobiphenyl		mg/kg	5		n.d.	ı
Octabromobiphenyl		mg/kg	5		n.d.	ı
Nonabromobiphenyl		mg/kg	5		n.d.	ı
Decabromobiphenyl	With reference to IEC 62321-6: 2015, analysis was performed by	mg/kg	5		n.d.	-
Sum of PBBs		mg/kg	-		n.d.	1000
Monobromodiphenyl ether	GC/MS.	mg/kg	5		n.d.	ı
Dibromodiphenyl ether	- GC/IMS.	mg/kg	5		n.d.	ı
Tribromodiphenyl ether		mg/kg	5		n.d.	ı
Tetrabromodiphenyl ether		mg/kg	5		n.d.	-
Pentabromodiphenyl ether		mg/kg	5		n.d.	-
Hexabromodiphenyl ether		mg/kg	5		n.d.	-
Heptabromodiphenyl ether		mg/kg	5		n.d.	-
Octabromodiphenyl ether		mg/kg	5		n.d.	-
Nonabromodiphenyl ether		mg/kg	5		n.d.	-
Decabromodiphenyl ether		mg/kg	5		n.d.	-
Sum of PBDEs		mg/kg	-		n.d.	1000



No.: Date: 21-May-2024 Page: 3 of 21

Test Item(s)	Method	Unit	MDL	Result		Limit
				No.1	No.2	
Antimony (Sb) (CAS No.: 7440-36- 0)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2		n.d.	-
Antimony trioxide (Sb ₂ O ₃) (CAS No.: 1309-64-4)	Calculated from the result of Antimony.	mg/kg	2▲		n.d.	-
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2		n.d.	-
Arsenic (As) (CAS No.: 7440-38-2)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2		n.d.	-
Polychlorinated biphenyls (PCBs)	With reference to US EPA 3550C:	mg/kg	0.5		n.d.	-
Polychlorinated naphthalene (PCNs)	2007, analysis was performed by GC/MS.	mg/kg	5		n.d.	-
Polychlorinated terphenyls (PCTs)	GC/M3.	mg/kg	0.5		n.d.	-
Short Chain Chlorinated Paraffins(C10-C13) (SCCP) (CAS No.: 85535-84-8)	With reference to ISO 18219-1: 2021, analysis was performed by GC/MS.	mg/kg	50		n.d.	-
Medium Chain Chlorinated Paraffins(C14-C17) (MCCP) (CAS No.: 85535-85-9)	With reference to ISO 18219-2: 2021, analysis was performed by GC/MS.	mg/kg	50		n.d.	-
Tetrabromobisphenol A (TBBP-A) (CAS No.: 79-94-7)	With reference to RSTS-E&E-121, analysis was performed by LC/MS.	mg/kg	10		n.d.	-
Bisphenol A (CAS No.: 80-05-7)	With reference to RSTS-CHEM-239- 1, analysis was performed by LC/MS/MS.	mg/kg	1		n.d.	-
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α-HBCDD, β-HBCDD, γ-HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	With reference to IEC 62321: 2008, analysis was performed by GC/MS.	mg/kg	5		n.d.	-
Polyvinyl chloride (PVC)	With reference to ASTM E1252: 2021, analysis was performed by FT-IR and Flame Test.	**	-		Negative	-



No.: Date: 21-May-2024 Page: 4 of 21

Test Item(s)	Method	Unit	MDL	Res	sult	Limit
				No.1	No.2	
Fluorine (F) (CAS No.: 14762-94-8)		mg/kg	50		n.d.	-
Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582:	mg/kg	50		n.d.	-
Bromine (Br) (CAS No.: 10097-32-2)	2016, analysis was performed by IC.	mg/kg	50		n.d.	-
lodine (I) (CAS No.: 14362-44-8)		mg/kg	50		n.d.	-
Tributyl tin (TBT)		mg/kg	0.03		n.d.	-
Triphenyl tin (TPT)	With reference to ISO 17353: 2004,	mg/kg	0.03		n.d.	-
Dibutyl tin (DBT)	analysis was performed by GC/FPD.	mg/kg	0.03		n.d.	-
Dioctyl tin (DOT)		mg/kg	0.03		n.d.	-
Bis(tributyltin) oxide (TBTO) (CAS No.: 56-35-9)	Calculated from the result of Tributyl Tin (TBT).	mg/kg	0.03 🛦		n.d.	-
PFOS and its salts (CAS No.: 1763-23-1 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01		n.d.	-
Perfluorooctanoic acid (PFOA) and it's salt (CAS No.: 335-67-1 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01		n.d.	-
Dibutyl phthalate (DBP)		mg/kg	50		n.d.	1000
Butyl benzyl phthalate (BBP)		mg/kg	50		n.d.	1000
Diisobutyl phthalate (DIBP)		mg/kg	50		n.d.	1000
Di-(2-ethylhexyl) phthalate (DEHP)		mg/kg	50		n.d.	1000
Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1)		mg/kg	50		n.d.	-
Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0)	With reference to IEC 62321-8:	mg/kg	50		n.d.	-
Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0)	2017, analysis was performed by GC/MS.	mg/kg	50		n.d.	-
Di-n-pentyl phthalate (DNPP) (CAS No.: 131-18-0)	(GC) (VIS.	mg/kg	50		n.d.	-
Di-n-hexyl phthalate (DNHP) (CAS No.: 84-75-3)		mg/kg	50		n.d.	-
Bis(2-methoxyethyl) phthalate (DMEP) (CAS No.: 117-82-8)		mg/kg	50		n.d.	-
N-pentyl iso-pentyl phthalate (NPIPP) (CAS No.: 776297-69-9)		mg/kg	50		n.d.	-



No.: Date: 21-May-2024 Page: 5 of 21

Test Item(s)	Method	Unit	MDL	Re	sult	Limit
				No.1	No.2	
Diisopentyl phthalate (DIPP) (CAS No.: 605-50-5)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50		n.d.	1
1,2-Benzenedicarboxylic acid, di- C7-11-branched and linear alkyl esters (DHNUP) (CAS No.: 68515- 42-4)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50		n.d.	-
1,2-Benzenedicarboxylic acid, di- C6-8-branched alkyl esters, C7-rich (DIHP) (CAS No.: 71888-89-6)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50		n.d.	-
Phosphorus (P) (CAS No.: 7723-14-0)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2		7.09	-

Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. "---" = Not Conducted
- 6. **= Qualitative analysis (No Unit)
- 7. Negative = Undetectable ; Positive = Detectable
- 8. (#2) =
 - a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μ g/cm². The sample coating is considered to contain Cr(VI).
 - b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 $\mu g/cm^2$). The coating is considered a non-Cr(VI) based coating
 - c. The result between 0.10 μ g/cm² and 0.13 μ g/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.
- 9. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula : $AX = A \times F$

Conversion Formala . 700 700 1		
AX	Α	F
Antimony trioxide (Sb₂O₃)	Antimony	1.1971
Bis(tributyltin)oxide (TBTO)	Tributyl Tin (TBT)	1.0276

Parameter Conversion Table: https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others



No.: Date: 21-May-2024 Page: 6 of 21

10. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.



Date: 21-May-2024	Page: 7 of 21
-------------------	---------------

PFAS Remark:

The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.)

Group Name	Substance Name	CAS No.
	Perfluorooctane sulfonates (PFOS)	1763-23-1
	Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)	29081-56-9
	Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂)	70225-14-8
	Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS-N(C_2H_5) ₄)	56773-42-3
PFOS, its salts & derivatives	N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1- sulfonate (PFOS-DDA)	251099-16-8
	Tetrabutyl Ammonium perfluorooctane sulfonate (PFOS-N(C_4H_9) ₄)	111873-33-7
	Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	Perfluorooctanesulfonic acid, magnesium salt (PFOS-	91036-71-4
	Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
	Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctanesulfonate	71463-74-6
	Perfluorooctanoic acid (PFOA)	335-67-1
	Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	Potassium perfluorooctanoate (PFOA-K)	2395-00-8
DEO A ita aalta Oo alaaii (i	Silver perfluorooctanote (PFOA-Ag)	335-93-3
PFOA, its salts & derivatives	Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
	Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6



o.: Date: 21-May-2024 Page: 8 of 21


Group Name	Substance Name	CAS No.
	Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- pentadecafluoro-, chromium(3+) (PFOA-Cr(3 ⁺))	68141-02-6
PFOA, its salts & derivatives	Pentadecafluorooctanoic acidpiperazine (2/1)PFOA-NH($C_4H_{10}N$)	423-52-9
	Pentadecafluorooctanoate (anion)	45285-51-6
	Perfluorooctanoic Anhydride	33496-48-9



Date: 21-May-2024

Flow Chart of Stripping method for metal analysis

The plating layer of samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)




and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 9 of 21



: Date: 21-May-2024

PBB/PBDE analytical FLOW CHART



and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 10 of 21




Date: 21-May-2024

Analytical flow chart of Elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

[Reference method : US EPA 3051 \ US EPA 3052]



* US EPA 3051 method does not add HF.

and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document cannot so not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 11 of 21



: Date: 21-May-2024

Analytical flow chart

* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT




and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 12 of 21



Date: 21-May-2024

TBBP-A analytical flow chart




and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 13 of 21



Date: 21-May-2024

BPA analytical flow chart




and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document cannot so not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 14 of 21



Date: 21-May-2024 Page: 15 of 21


Analytical flow chart - HBCDD





.: Date: 21-May-2024

Analysis flow chart - PVC




and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 16 of 21



.: Date: 21-May-2024

Analytical flow chart of Halogen




and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document cannot so not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 17 of 21



Date: 21-May-2024

Analytical flow chart - Organic-Tin




and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document cannot so not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 18 of 21



: Date: 21-May-2024

Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)



and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document cannot so not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 19 of 21



Date: 21-May-2024

Analytical flow chart of phthalate content

【Test method: IEC 62321-8】




and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document cannot so not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 20 of 21



Date: 21-May-2024



** End of Report **

and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 21 of 21



TI Report Number: 74957913

Component: Lead Frame Plating

Analysis Type: Other-2011/65/EU

Analysis Date: 05/09/2024



Test Report No.: Date: 21-May-2024 Page: 1 of 21

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By

:

Sample Name

Ni PLATING LAYER

Sample Receiving Date : 09-May-2024

Testing Period

: 09-May-2024 to 20-May-2024

Test Requested

(1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) Please refer to next pages for the other item(s).

Test Results

Please refer to following pages.

Conclusion

(1) Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained bereon reflects the Company's findings at the time of its



Date: 21-May-2024	Page: 2 of 21
-------------------	---------------

Test Part Description

No.1 : PLATING LAYER OF SILVER COLORED METAL

No.2 : COPPER/SILVER COLORED METAL (INCLUDING THE PLATING LAYER)

Test Result(s)

Test Item(s)	Method	Unit	Unit MDL	Result		Limit
				No.1	No.2	
Cadmium (Cd) (CAS No.: 7440-43-	IEC 62321-5: 2013 application of	mg/kg	2	n.d.		100
9)	modified digestion by surface					
Lead (Pb) (CAS No.: 7439-92-1)	etching, analysis was performed by ICP-OES.	mg/kg	2	n.d.		1000
Mercury (Hg) (CAS No.: 7439-97-6)	IEC 62321-4: 2013+AMD1: 2017 application of modified digestion by surface etching, analysis was performed by ICP-OES.	mg/kg	2	n.d.		1000
Hexavalent Chromium Cr(VI) (#2)	With reference to IEC 62321-7-1: 2015, analysis was performed by UV-VIS.	μg/cm²	0.1	n.d.		ı
Monobromobiphenyl		mg/kg	5		n.d.	-
Dibromobiphenyl		mg/kg	5		n.d.	ı
Tribromobiphenyl		mg/kg	5		n.d.	-
Tetrabromobiphenyl		mg/kg	5		n.d.	ı
Pentabromobiphenyl		mg/kg	5		n.d.	-
Hexabromobiphenyl		mg/kg	5		n.d.	-
Heptabromobiphenyl		mg/kg	5		n.d.	ı
Octabromobiphenyl		mg/kg	5		n.d.	ı
Nonabromobiphenyl		mg/kg	5		n.d.	ı
Decabromobiphenyl	With reference to IEC 62321-6:	mg/kg	5		n.d.	-
Sum of PBBs	2015, analysis was performed by	mg/kg	-		n.d.	1000
Monobromodiphenyl ether	GC/MS.	mg/kg	5		n.d.	ı
Dibromodiphenyl ether	GC/1V13.	mg/kg	5		n.d.	ı
Tribromodiphenyl ether		mg/kg	5		n.d.	ı
Tetrabromodiphenyl ether		mg/kg	5		n.d.	-
Pentabromodiphenyl ether		mg/kg	5		n.d.	=
Hexabromodiphenyl ether]	mg/kg	5		n.d.	-
Heptabromodiphenyl ether		mg/kg	5		n.d.	-
Octabromodiphenyl ether		mg/kg	5		n.d.	-
Nonabromodiphenyl ether		mg/kg	5		n.d.	-
Decabromodiphenyl ether		mg/kg	5		n.d.	
Sum of PBDEs		mg/kg	-		n.d.	1000



No.: Date: 21-May-2024 Page: 3 of 21

Test Item(s)	Test Item(s) Method Unit MD		MDL	Re	sult	Limit
				No.1	No.2	
Antimony (Sb) (CAS No.: 7440-36- 0)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2		n.d.	1
Antimony trioxide (Sb ₂ O ₃) (CAS No.: 1309-64-4)	Calculated from the result of Antimony.	mg/kg	2▲		n.d.	-
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2		n.d.	-
Arsenic (As) (CAS No.: 7440-38-2)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2		n.d.	-
Polychlorinated biphenyls (PCBs)	With reference to US EPA 3550C:	mg/kg	0.5		n.d.	-
Polychlorinated naphthalene (PCNs)	2007, analysis was performed by GC/MS.	mg/kg	5		n.d.	-
Polychlorinated terphenyls (PCTs)	GC/M3.	mg/kg	0.5		n.d.	-
Short Chain Chlorinated Paraffins(C10-C13) (SCCP) (CAS No.: 85535-84-8)	With reference to ISO 18219-1: 2021, analysis was performed by GC/MS.	mg/kg	50		n.d.	-
Medium Chain Chlorinated Paraffins(C14-C17) (MCCP) (CAS No.: 85535-85-9)	With reference to ISO 18219-2: 2021, analysis was performed by GC/MS.	mg/kg	50		n.d.	-
Tetrabromobisphenol A (TBBP-A) (CAS No.: 79-94-7)	With reference to RSTS-E&E-121, analysis was performed by LC/MS.	mg/kg	10		n.d.	-
Bisphenol A (CAS No.: 80-05-7)	With reference to RSTS-CHEM-239- 1, analysis was performed by LC/MS/MS.	mg/kg	1		n.d.	-
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α-HBCDD, β-HBCDD, γ-HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	With reference to IEC 62321: 2008, analysis was performed by GC/MS.	mg/kg	5		n.d.	-
Polyvinyl chloride (PVC)	With reference to ASTM E1252: 2021, analysis was performed by FT-IR and Flame Test.	**	-		Negative	-



o.: Date: 21-May-2024 Page: 4 of 21

Test Item(s)	Method	Unit	MDL	Res	sult	Limit
				No.1	No.2	
Fluorine (F) (CAS No.: 14762-94-8)		mg/kg	50		n.d.	-
Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582:	mg/kg	50		n.d.	-
Bromine (Br) (CAS No.: 10097-32-2)	2016, analysis was performed by IC.	mg/kg	50		n.d.	-
lodine (I) (CAS No.: 14362-44-8)		mg/kg	50		n.d.	-
Tributyl tin (TBT)		mg/kg	0.03		n.d.	-
Triphenyl tin (TPT)	With reference to ISO 17353: 2004,	mg/kg	0.03		n.d.	-
Dibutyl tin (DBT)		mg/kg	0.03		n.d.	-
Dioctyl tin (DOT)		mg/kg	0.03		n.d.	-
Bis(tributyltin) oxide (TBTO) (CAS No.: 56-35-9)	Calculated from the result of Tributyl Tin (TBT).	mg/kg	0.03 🛦		n.d.	-
PFOS and its salts (CAS No.: 1763-23-1 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01		n.d.	-
Perfluorooctanoic acid (PFOA) and it's salt (CAS No.: 335-67-1 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01		n.d.	-
Dibutyl phthalate (DBP)		mg/kg	50		n.d.	1000
Butyl benzyl phthalate (BBP)		mg/kg	50	-	n.d.	1000
Diisobutyl phthalate (DIBP)		mg/kg	50		n.d.	1000
Di-(2-ethylhexyl) phthalate (DEHP)		mg/kg	50		n.d.	1000
Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1)		mg/kg	50		n.d.	-
Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0)	With reference to IEC 62321-8:	mg/kg	50		n.d.	-
Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0)	2017, analysis was performed by GC/MS.	mg/kg	50		n.d.	-
Di-n-pentyl phthalate (DNPP) (CAS No.: 131-18-0)		mg/kg	50		n.d.	-
Di-n-hexyl phthalate (DNHP) (CAS No.: 84-75-3)		mg/kg	50		n.d.	-
Bis(2-methoxyethyl) phthalate (DMEP) (CAS No.: 117-82-8)		mg/kg	50		n.d.	-
N-pentyl iso-pentyl phthalate (NPIPP) (CAS No.: 776297-69-9)		mg/kg	50		n.d.	-



o.: Date: 21-May-2024

Test Item(s)	Method	Unit	MDL	Res	sult	Limit
				No.1	No.2	
Diisopentyl phthalate (DIPP) (CAS No.: 605-50-5)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50		n.d.	-
1,2-Benzenedicarboxylic acid, di- C7-11-branched and linear alkyl esters (DHNUP) (CAS No.: 68515- 42-4)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50		n.d.	-
1,2-Benzenedicarboxylic acid, di- C6-8-branched alkyl esters, C7-rich (DIHP) (CAS No.: 71888-89-6)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50		n.d.	-
Phosphorus (P) (CAS No.: 7723-14- 0)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2		6.53	-

Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. "---" = Not Conducted
- 6. **= Qualitative analysis (No Unit)
- 7. Negative = Undetectable; Positive = Detectable
- 8. (#2) =
 - a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μ g/cm². The sample coating is considered to contain Cr(VI).
 - b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 $\mu g/cm^2$). The coating is considered a non-Cr(VI) based coating
 - c. The result between 0.10 μ g/cm² and 0.13 μ g/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.
- 9. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula : $AX = A \times F$

Conversion Formala . 700 700 1		
AX	Α	F
Antimony trioxide (Sb₂O₃)	Antimony	1.1971
Bis(tributyltin)oxide (TBTO)	Tributyl Tin (TBT)	1.0276

Parameter Conversion Table: https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others

and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 5 of 21



No.: Date: 21-May-2024 Page: 6 of 21

10. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.



Date: 21-May-2024	Page: 7 of 21
-------------------	---------------

PFAS Remark:

The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.)

Group Name	Substance Name	CAS No.
PFOS, its salts & derivatives	Perfluorooctane sulfonates (PFOS)	1763-23-1
	Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)	29081-56-9
	Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂)	70225-14-8
	Perfluorooctanesulfonic acid, tetraethylammonium salt $(PFOS-N(C_2H_5)_4)$	56773-42-3
	N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1- sulfonate (PFOS-DDA)	251099-16-8
	TetrabutylAmmonium perfluorooctanesulfonate (PFOSN(C_4H_9) ₄)	111873-33-7
	Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	Perfluorooctanesulfonic acid, magnesium salt (PFOS-	91036-71-4
	Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
	Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctanesulfonate	71463-74-6
PFOA, its salts & derivatives	Perfluorooctanoic acid (PFOA)	335-67-1
	Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	Silver perfluorooctanote (PFOA-Ag)	335-93-3
	Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
	Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6



o.: Date: 21-May-2024 Page: 8 of 21


Group Name	Substance Name	CAS No.
PFOA, its salts & derivatives	Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- pentadecafluoro-, chromium(3+) (PFOA-Cr(3 ⁺))	68141-02-6
	Pentadecafluorooctanoic acidpiperazine (2/1)PFOA-NH($C_4H_{10}N$)	423-52-9
	Pentadecafluorooctanoate (anion)	45285-51-6
	Perfluorooctanoic Anhydride	33496-48-9



Date: 21-May-2024

Flow Chart of Stripping method for metal analysis

The plating layer of samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)




and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 9 of 21



.: Date: 21-May-2024

PBB/PBDE analytical FLOW CHART



and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 10 of 21




Date: 21-May-2024

Page: 11 of 21

Analytical flow chart of Elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

[Reference method : US EPA 3051 \ US EPA 3052]




* US EPA 3051 method does not add HF.



: Date: 21-May-2024

Analytical flow chart

* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT




and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 12 of 21



Date: 21-May-2024

TBBP-A analytical flow chart




and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 13 of 21



Date: 21-May-2024

BPA analytical flow chart




and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document cannot so not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 14 of 21



Date: 21-May-2024 Page: 15 of 21


Analytical flow chart - HBCDD





.: Date: 21-May-2024

Analysis flow chart - PVC




and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 16 of 21



.: Date: 21-May-2024

Analytical flow chart of Halogen




and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document cannot so not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 17 of 21



Date: 21-May-2024

Analytical flow chart - Organic-Tin




and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document cannot so not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 18 of 21



.: Date: 21-May-2024

Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)



and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document cannot so not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 19 of 21



Date: 21-May-2024

Analytical flow chart of phthalate content

【Test method: IEC 62321-8】




and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document cannot so not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 20 of 21



Date: 21-May-2024



** End of Report **

and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 21 of 21



TI Report Number: 74886581

Component: Lead Frame

Analysis Type: Other-2011/65/EU

Analysis Date: 05/09/2024



Test Report No.: Date: 21-May-2024 Page: 1 of 20

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By

Sample Name : A194/C194 Cu ALLOY(AFTER ETCHING PROCESS)

Sample Receiving Date

: 09-May-2024

Testing Period : 09-May-2024 to 20-May-2024

Test Requested : (1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending

Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs,

DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) Please refer to next pages for the other item(s).

Test Results: Please refer to following pages.

Conclusion : (1) Based on the performed tests on submitted sample(s), the test results of Cadmium,

Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.



Date: 21-May-2	2024
----------------	------

Page: 2 of 20

Test Part Description

No.1 : COPPER COLORED METAL SHEET

Test Result(s)

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Cadmium (Cd)	With reference to IEC 62321-5: 2013,	mg/kg	2	n.d.	100
Lead (Pb)	analysis was performed by ICP-OES.	mg/kg	2	n.d.	1000
Mercury (Hg)	With reference to IEC 62321-4: 2013+	mg/kg	2	n.d.	1000
	AMD1: 2017, analysis was performed				
	by ICP-OES.				
Hexavalent Chromium Cr(VI) (#2)	With reference to IEC 62321-7-1: 2015,	μg/cm²	0.1	n.d.	-
	analysis was performed by UV-VIS.				
Monobromobiphenyl		mg/kg	5	n.d.	-
Dibromobiphenyl		mg/kg	5	n.d.	-
Tribromobiphenyl		mg/kg	5	n.d.	-
Tetrabromobiphenyl		mg/kg	5	n.d.	-
Pentabromobiphenyl		mg/kg	5	n.d.	-
Hexabromobiphenyl		mg/kg	5	n.d.	-
Heptabromobiphenyl		mg/kg	5	n.d.	-
Octabromobiphenyl		mg/kg	5	n.d.	-
Nonabromobiphenyl		mg/kg	5	n.d.	-
Decabromobiphenyl		mg/kg	5	n.d.	-
Sum of PBBs	With reference to IEC 62321-6: 2015,	mg/kg	-	n.d.	1000
Monobromodiphenyl ether	analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Dibromodiphenyl ether		mg/kg	5	n.d.	-
Tribromodiphenyl ether		mg/kg	5	n.d.	-
Tetrabromodiphenyl ether		mg/kg	5	n.d.	-
Pentabromodiphenyl ether		mg/kg	5	n.d.	-
Hexabromodiphenyl ether		mg/kg	5	n.d.	-
Heptabromodiphenyl ether		mg/kg	5	n.d.	-
Octabromodiphenyl ether		mg/kg	5	n.d.	-
Nonabromodiphenyl ether		mg/kg	5	n.d.	-
Decabromodiphenyl ether		mg/kg	5	n.d.	-
Sum of PBDEs		mg/kg	-	n.d.	1000



No.: Date: 21-May-2024 Page: 3 of 20

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Antimony (Sb) (CAS No.: 7440-36-0)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.	-
	analysis was performed by ICP-OES.				
Antimony trioxide (Sb ₂ O ₃) (CAS No.: 1309-64-4)	Calculated from the result of Antimony.	mg/kg	2▲	n.d.	-
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Arsenic (As) (CAS No.: 7440-38-2)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Phosphorus (P) (CAS No.: 7723-14-0)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	239	-
Polychlorinated biphenyls (PCBs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	0.5	n.d.	-
Polychlorinated naphthalene (PCNs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Polychlorinated terphenyls (PCTs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	0.5	n.d.	-
Short Chain Chlorinated Paraffins(C10-C13) (SCCP) (CAS No.: 85535-84-8)	With reference to ISO 18219-1: 2021, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Medium Chain Chlorinated Paraffins(C14-C17) (MCCP) (CAS No.: 85535-85-9)	With reference to ISO 18219-2: 2021, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Tetrabromobisphenol A (TBBP-A) (CAS No.: 79-94-7)	With reference to RSTS-E&E-121, analysis was performed by LC/MS.	mg/kg	10	n.d.	ī
Bisphenol A (CAS No.: 80-05-7)	With reference to RSTS-CHEM-239-1, analysis was performed by LC/MS/MS.	mg/kg	1	n.d.	-
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	With reference to IEC 62321: 2008, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Polyvinyl chloride (PVC)	With reference to ASTM E1252: 2021, analysis was performed by FT-IR and Flame Test.	**	-	Negative	-



o.: Date: 21-May-2024 Page: 4 of 20

Tributyl tin (TBT) Triphenyl tin (TBT) Dibutyl tin (DBT) Dioctyl tin (DOT) Bis(tributyltin) oxide (TBTO) (CAS No.: 56-35-9) PFOS and its salts (CAS No.: 1763-23-1 and its salts) Perfluorooctanoic acid (PFOA) and it's salt (CAS No.: 335-67-1 and its salts) Dibutyl phthalate (DBP) Butyl benzyl phthalate (DBP) Diisobutyl phthalate (DIBP) Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d. With reference to IEC 62321-8: 2017, mg/kg 50 n.d. With reference to IEC 62321-8: 2017, mg/kg 50 n.d. With reference to IEC 62321-8: 2017, mg/kg 50 n.d. With reference to IEC 62321-8: 2017, mg/kg 50 n.d. With reference to IEC 62321-8: 2017, mg/kg 50 n.d. With reference to IEC 62321-8: 2017, mg/kg 50 n.d. With reference to IEC 62321-8: 2017, mg/kg 50 n.d.	Test Item(s)	Method	Unit	MDL	Result	Limit
Chlorine (CI) (CAS No.: 22537-15-1) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. Bromine (Br) (CAS No.: 10097-32-2) analysis was performed by IC. mg/kg 50 n.d. Indidication (I) (CAS No.: 14362-44-8) mg/kg 50 n.d. Tributyl tin (TBT) mg/kg 50 n.d. Triphenyl tin (DBT) with reference to ISO 17353: 2004, analysis was performed by GC/FPD. mg/kg 0.03 n.d. Dioctyl tin (DOT) mg/kg 0.03 n.d. mg/kg 0.03 n.d. Bis(tributyltin) oxide (TBTO) (CAS No.: 1763-23-1 and its salts) Calculated from the result of Tributyl Tin (TBT). mg/kg 0.03 n.d. Perfluorooctanoic acid (PFOA) and it's salt (CAS No.: 335-67-1 and its salts) With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. mg/kg 0.01 n.d. Dibutyl phthalate (DBP) mg/kg 50 n.d. 10 Butyl benzyl phthalate (BBP) mg/kg 50 n.d. 10 Diisodecyl phthalate (DIPP) (CAS No.: 26761-40-0, 68515-49-1) mg/kg 50 n.d. 10 <th></th> <th></th> <th></th> <th></th> <th>No.1</th> <th></th>					No.1	
Bromine (Br) (CAS No.: 10097-32-2) Ilodine (I) (CAS No.: 14362-44-8) Tributyl tin (TBT) Triphenyl tin (TPT) Dibutyl tin (DBT) Dioctyl tin (DOT) Bis(tributyltin) oxide (TBTO) (CAS No.: 1763-23-1 and its salts) Perfluorooctanoic acid (PFOA) and it's salt (CAS No.: 335-67-1 and its salts) Dibutyl phthalate (DBP) Butyl benzyl phthalate (DBP) Diisodecyl phthalate (DIBP) Diisodecyl phthalate (DIBP) Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d. mg/kg 50 n.d. mg/kg 0.03 n.d. mg/kg 0.01 n.d. mg/kg 0.01 n.d. mg/kg 0.01 n.d. mg/kg 50 n.d. 100 mg/kg 50 n.d.	Fluorine (F) (CAS No.: 14762-94-8)		mg/kg	50	n.d.	-
Iodine (I) (CAS No.: 14362-44-8)	Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582: 2016,	mg/kg	50	n.d.	-
Tributyl tin (TBT) Triphenyl tin (TPT) Dibutyl tin (DBT) Dioctyl tin (DOT) Bis(tributyltin) oxide (TBTO) (CAS No.: 56-35-9) PFOS and its salts (CAS No.: 1763-23-1 and its salts) Perfluorooctanoic acid (PFOA) and it's salt (CAS No.: 335-67-1 and its salts) Dibutyl phthalate (DBP) Butyl benzyl phthalate (DIBP) Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d. n.d. omg/kg 50	Bromine (Br) (CAS No.: 10097-32-2)	analysis was performed by IC.	mg/kg	50	n.d.	-
Triphenyl tin (TPT) Dibutyl tin (DBT) Dioctyl tin (DOT) Bis(tributyltin) oxide (TBTO) (CAS No.: 56-35-9) PFOS and its salts (CAS No.: 1763-23-1 and its salts) Perfluorooctanoic acid (PFOA) and it's salt (CAS No.: 335-67-1 and its salts) Dibutyl phthalate (DBP) Bisobutyl phthalate (DIBP) Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d. With reference to ISO 17353: 2004, mg/kg 0.03 n.d. n.d. mg/kg 0.01 n.d. mg/kg 50 n.d. 10 mg/kg 50 n.d. 10 mg/kg 50 n.d.	lodine (I) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
Dibutyl tin (DBT) Dioctyl tin (DOT) Bis(tributyltin) oxide (TBTO) (CAS No.: 56-35-9) PFOS and its salts (CAS No.: 1763-23-1 and its salts) Perfluorooctanoic acid (PFOA) and it's salt (CAS No.: 335-67-1 and its salts) Dibutyl phthalate (DBP) Butyl benzyl phthalate (DIBP) Dii-(2-ethylhexyl) phthalate (DIBP) Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d. With reference to IEC 62321-8: 2017, mg/kg 50 n.d. Diisobutyl phthalate (DNOP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d. With reference to IEC 62321-8: 2017, mg/kg 50 n.d. With reference to IEC 62321-8: 2017, mg/kg 50 n.d.	Tributyl tin (TBT)		mg/kg	0.03	n.d.	-
Dioctyl tin (DOT) Bis(tributyltin) oxide (TBTO) (CAS No.: 56-35-9) PFOS and its salts (CAS No.: 1763-23-1 and its salts) Perfluorooctanoic acid (PFOA) and it's salt (CAS No.: 335-67-1 and its salts) Dibutyl phthalate (DBP) Butyl benzyl phthalate (DIBP) Diisodecyl phthalate (DIBP) Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d. With reference to IEC 62321-8: 2017, mg/kg 50 n.d. With reference to IEC 62321-8: 2017, mg/kg 50 n.d.	Triphenyl tin (TPT)	With reference to ISO 17353: 2004,	mg/kg	0.03	n.d.	-
Bis(tributyltin) oxide (TBTO) (CAS No.: 56-35-9) PFOS and its salts (CAS No.: 1763-23-1 and its salts) Perfluorooctanoic acid (PFOA) and it's salt (CAS No.: 335-67-1 and its salts) Dibutyl phthalate (DBP) Butyl benzyl phthalate (DBP) Dii-(2-ethylhexyl) phthalate (DEHP) Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-(octyl phthalate (DNOP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d. n.d. n.d. n.d. mg/kg 50 n.d. n.d. n.d. n.d. n.d. n.d. n.d. n.d	Dibutyl tin (DBT)	analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-
Tin (TBT). With reference to CEN/TS 15968: 2010, and its salts (CAS No.: 1763-23-1 and its salts) With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. Perfluorooctanoic acid (PFOA) and it's salt (CAS No.: 335-67-1 and its salts) With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. mg/kg	Dioctyl tin (DOT)		mg/kg	0.03	n.d.	-
PFOS and its salts (CAS No.: 1763-23-1 and its salts) Perfluorooctanoic acid (PFOA) and it's salt (CAS No.: 335-67-1 and its salts) Dibutyl phthalate (DBP) Butyl benzyl phthalate (DIBP) Di-(2-ethylhexyl) phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-(CAS No.: 1763-23-1 With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. With reference to CEN/TS 15968: 2010, mg/kg 0.01 n.d. With reference to CEN/TS 15968: 2010, mg/kg 50 n.d. Mig/kg 50 n.d. 100 mg/kg 50 n.d. Mig/kg 50 n.d. 100 mg/kg 50 n.d. Mig/kg 50 n.d.	Bis(tributyltin) oxide (TBTO) (CAS No.:	Calculated from the result of Tributyl	mg/kg	0.03 🛦	n.d.	-
and its salts) Perfluorooctanoic acid (PFOA) and it's salt (CAS No.: 335-67-1 and its salts) Dibutyl phthalate (DBP) Butyl benzyl phthalate (BBP) Diisobutyl phthalate (DIBP) Dii-(2-ethylhexyl) phthalate (DEHP) Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-(octyl phthalate (DNOP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d. With reference to CEN/TS 15968: 2010, mg/kg 0.01 n.d. mg/kg 50 n.d. 10 mg/kg 50 n.d. 10 mg/kg 50 n.d. mg/kg 50 n.d. mg/kg 50 n.d. mg/kg 50 n.d.	56-35-9)	Tin (TBT).				
Perfluorooctanoic acid (PFOA) and it's salt (CAS No.: 335-67-1 and its salts) Dibutyl phthalate (DBP) Butyl benzyl phthalate (BBP) Diisobutyl phthalate (DIBP) Dii-(2-ethylhexyl) phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d. With reference to CEN/TS 15968: 2010, mg/kg 50 n.d. mg/kg 50 n.d. 10 mg/kg 50 n.d. 10 mg/kg 50 n.d.	PFOS and its salts (CAS No.: 1763-23-1	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
salt (CAS No.: 335-67-1 and its salts) Dibutyl phthalate (DBP) Butyl benzyl phthalate (BBP) Diisobutyl phthalate (DIBP) Di-(2-ethylhexyl) phthalate (DEHP) Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d.	and its salts)	analysis was performed by LC/MS/MS.				
Dibutyl phthalate (DBP) Butyl benzyl phthalate (BBP) Diisobutyl phthalate (DIBP) Dii-(2-ethylhexyl) phthalate (DEHP) Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d.	Perfluorooctanoic acid (PFOA) and it's	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
Butyl benzyl phthalate (BBP) Diisobutyl phthalate (DIBP) Di-(2-ethylhexyl) phthalate (DEHP) Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d.	salt (CAS No.: 335-67-1 and its salts)	analysis was performed by LC/MS/MS.				
Diisobutyl phthalate (DIBP) Di-(2-ethylhexyl) phthalate (DEHP) Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d.	Dibutyl phthalate (DBP)		mg/kg	50	n.d.	1000
Di-(2-ethylhexyl) phthalate (DEHP) mg/kg 50 n.d. 10 Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) mg/kg 50 n.d. mg/kg 50 n.d. Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) mg/kg 50 n.d. mg/kg 50 n.d. Di-n-octyl phthalate (DNOP) (CAS No.: 28553-12-0, 68515-48-0) With reference to IEC 62321-8: 2017, mg/kg 50 n.d.	Butyl benzyl phthalate (BBP)		mg/kg	50	n.d.	1000
Diisodecyl phthalate (DIDP) (CAS No.: mg/kg 50 n.d. 26761-40-0, 68515-49-1) mg/kg 50 n.d. Diisononyl phthalate (DINP) (CAS No.: mg/kg 50 n.d. 28553-12-0, 68515-48-0) mg/kg 50 n.d. Di-n-octyl phthalate (DNOP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d.	Diisobutyl phthalate (DIBP)		mg/kg	50	n.d.	1000
26761-40-0, 68515-49-1) Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d.	Di-(2-ethylhexyl) phthalate (DEHP)		mg/kg	50	n.d.	1000
Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d.	Diisodecyl phthalate (DIDP) (CAS No.:		mg/kg	50	n.d.	-
28553-12-0, 68515-48-0) Di-n-octyl phthalate (DNOP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d.	26761-40-0, 68515-49-1)					
Di-n-octyl phthalate (DNOP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d.	Diisononyl phthalate (DINP) (CAS No.:		mg/kg	50	n.d.	-
1 , , , , , , , , , , , , , , , , , , ,	28553-12-0, 68515-48-0)					
	Di-n-octyl phthalate (DNOP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
analysis was performed by GC/MS.						
Di-n-pentyl phthalate (DNPP) (CAS No.: mg/kg 50 n.d.	Di-n-pentyl phthalate (DNPP) (CAS No.:		mg/kg	50	n.d.	-
131-18-0)	131-18-0)					
Di-n-hexyl phthalate (DNHP) (CAS No.: mg/kg 50 n.d.	Di-n-hexyl phthalate (DNHP) (CAS No.:		mg/kg	50	n.d.	-
84-75-3)	84-75-3)					
Bis(2-methoxyethyl) phthalate (DMEP) mg/kg 50 n.d.	Bis(2-methoxyethyl) phthalate (DMEP)		mg/kg	50	n.d.	-
(CAS No.: 117-82-8)	(CAS No.: 117-82-8)					
N-pentyl iso-pentyl phthalate (NPIPP) mg/kg 50 n.d.	N-pentyl iso-pentyl phthalate (NPIPP)		mg/kg	50	n.d.	-
(CAS No.: 776297-69-9)						



No.: Date: 21-May-2024 Page: 5 of 20

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Diisopentyl phthalate (DIPP) (CAS No.: 605-50-5)		mg/kg	50	n.d.	-
1,2-Benzenedicarboxylic acid, di-C7- 11-branched and linear alkyl esters (DHNUP) (CAS No.: 68515-42-4)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP) (CAS No.: 71888-89-6)		mg/kg	50	n.d.	-

Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. **= Qualitative analysis (No Unit)
- 6. Negative = Undetectable; Positive = Detectable
- 7. (#2) =
 - a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μ g/cm². The sample coating is considered to contain Cr(VI).
 - b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 μ g/cm²). The coating is considered a non-Cr(VI) based coating
 - c. The result between 0.10 μ g/cm² and 0.13 μ g/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.
- 8. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula : $AX = A \times F$

AX	Α	F
Antimony trioxide (Sb₂O₃)	Antimony	1.1971
Bis(tributyltin)oxide (TBTO)	Tributyl Tin (TBT)	1.0276

Parameter Conversion Table: https://eecloud.sgs.com/Region TW/DocDownload.aspx?name=Others

9. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.



Date: 21-May-2024	Page: 6 of 20
-------------------	---------------

PFAS Remark:

The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.)

Group Name	Substance Name	CAS No.
	Perfluorooctane sulfonates (PFOS)	1763-23-1
	Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)	29081-56-9
	Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂)	70225-14-8
	Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS-N(C_2H_5) ₄)	56773-42-3
PFOS, its salts & derivatives	N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1- sulfonate (PFOS-DDA)	251099-16-8
	TetrabutylAmmonium perfluorooctanesulfonate (PFOS- $N(C_4H_9)_4$)	111873-33-7
	Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
	Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate	71463-74-6
	Perfluorooctanoic acid (PFOA)	335-67-1
	Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	Potassium perfluorooctanoate (PFOA-K)	2395-00-8
DECA its salts 0. desirestings	Silver perfluorooctanote (PFOA-Ag)	335-93-3
PFOA, its salts & derivatives	Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
	Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6



Page: 7 of 20 Date: 21-May-2024

Group Name	Substance Name	CAS No.
	Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+) (PFOA-Cr(3 ⁺))	68141-02-6
PFOA, its salts & derivatives	Pentadecafluorooctanoic acidpiperazine (2/1)PFOA- $NH(C_4H_{10}N)$	423-52-9
	Pentadecafluorooctanoate (anion)	45285-51-6
	Perfluorooctanoic Anhydride	33496-48-9




Date: 21-May-2024 Page: 8 of 20

Analytical flow chart of Heavy Metal

No.:


These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)





Date: 21-May-2024 Page: 9 of 20

PBB/PBDE analytical FLOW CHART






Date: 21-May-2024 Page: 10 of 20

Analytical flow chart of Elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

No.:

【Reference method: US EPA 3051 \ US EPA 3052】




* US EPA 3051 method does not add HF.



Date: 21-May-2024 Page: 11 of 20

TBBP-A analytical flow chart






Page: 12 of 20 Date: 21-May-2024

Analytical flow chart


* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT





Date: 21-May-2024 Page: 13 of 20


BPA analytical flow chart





Date: 21-May-2024 Page: 14 of 20


Analytical flow chart - HBCDD





Date: 21-May-2024 Page: 15 of 20


Analysis flow chart - PVC





Date: 21-May-2024 Page: 16 of 20

Analytical flow chart of Halogen






Date: 21-May-2024

Page: 17 of 20


Analytical flow chart - Organic-Tin





Date: 21-May-2024

Analytical flow chart - PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 18 of 20




Date: 21-May-2024

Page: 19 of 20

Analytical flow chart of phthalate content

【Test method: IEC 62321-8】





Date: 21-May-2024



** End of Report **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 20 of 20



TI Report Number: 63721121

Component : Bond Wire

Analysis Type: RoHS 10 & Halogens

Analysis Date: 09/01/2023



Page: 1 of 15

The following sample(s) was/were submitted and identified by the applicant as:

Sample Name : <u>NIPPON AU BONDING WIRE</u>

Style/Item No. :

Tel :

Sample Receiving Date

: 24-Aug-2023

Testing Period : 24-Aug-2023 to 30-Aug-2023

Test Requested : (1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending

Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs,

Date: 01-Sep-2023

DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) Please refer to next pages for the other item(s).

Test Results : Please refer to following pages.





Date: 01-Sep-2023

Page: 2 of 15

Test Part Description

No.1 : GOLDEN COLORED METAL WIRE

Test Result(s)

Test Item(s)	Method	Unit	MDL	Result
				No.1
Cadmium (Cd)	With reference to IEC 62321-5: 2013, analysis	mg/kg	2	n.d.
Lead (Pb)	was performed by ICP-OES.	mg/kg	2	n.d.
Mercury (Hg)	With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.	mg/kg	2	n.d.
Hexavalent Chromium Cr(VI) (#2)	With reference to IEC 62321-7-1: 2015, analysis was performed by UV-VIS.	μg/cm²	0.1	n.d.
Monobromobiphenyl		mg/kg	5	n.d.
Dibromobiphenyl		mg/kg	5	n.d.
Tribromobiphenyl		mg/kg	5	n.d.
Tetrabromobiphenyl		mg/kg	5	n.d.
Pentabromobiphenyl		mg/kg	5	n.d.
Hexabromobiphenyl		mg/kg	5	n.d.
Heptabromobiphenyl		mg/kg	5	n.d.
Octabromobiphenyl		mg/kg	5	n.d.
Nonabromobiphenyl		mg/kg	5	n.d.
Decabromobiphenyl		mg/kg	5	n.d.
Sum of PBBs	With reference to IEC 62321-6: 2015, analysis	mg/kg	1	n.d.
Monobromodiphenyl ether	was performed by GC/MS.	mg/kg	5	n.d.
Dibromodiphenyl ether		mg/kg	5	n.d.
Tribromodiphenyl ether		mg/kg	5	n.d.
Tetrabromodiphenyl ether		mg/kg	5	n.d.
Pentabromodiphenyl ether		mg/kg	5	n.d.
Hexabromodiphenyl ether		mg/kg	5	n.d.
Heptabromodiphenyl ether		mg/kg	5	n.d.
Octabromodiphenyl ether		mg/kg	5	n.d.
Nonabromodiphenyl ether		mg/kg	5	n.d.
Decabromodiphenyl ether		mg/kg	5	n.d.
Sum of PBDEs		mg/kg	-	n.d.



Date: 01-Sep-2023

Page: 3 of 15

Test Item(s)	Method	Unit	MDL	Result
				No.1
Butyl benzyl phthalate (BBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.
Dibutyl phthalate (DBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.
Di-(2-ethylhexyl) phthalate (DEHP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.
Diisobutyl phthalate (DIBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α -HBCDD, β -HBCDD, γ -HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	With reference to IEC 62321: 2008, analysis was performed by GC/MS.	mg/kg	5	n.d.
Fluorine (F) (CAS No.: 14762-94-8)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.
Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.
Bromine (Br) (CAS No.: 10097-32-2)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.
lodine (I) (CAS No.: 14362-44-8)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.
PFOS and its salts (CAS No.: 1763-23-1 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.
PFOA and its salts (CAS No.: 335-67-1 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.
Polyvinyl chloride (PVC)	With reference to ASTM E1252: 2021, analysis was performed by FT-IR and Flame Test.	**	-	Negative
Antimony (Sb) (CAS No.: 7440-36-0)	With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.
Arsenic (As) (CAS No.: 7440-38-2)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.
Polychlorinated biphenyls (PCBs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	0.5	n.d.



Date: 01-Sep-2023

Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. **= Qualitative analysis (No Unit)
- 6. Negative = Undetectable; Positive = Detectable
- 7. PFOS and its salts including:
 - CAS No.: 1763-23-1, 2795-39-3, 29457-72-5, 29081-56-9, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7, 91036-71-4, 4021-47-0 and others.
- 8. PFOA and its salts including:
 - CAS No.: 335-67-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0, 3825-26-1 and others.
- 9. (#2) =
 - a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μ g/cm². The sample coating is considered to contain Cr(VI).
 - b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 $\mu g/cm^2$). The coating is considered a non-Cr(VI) based coating
 - c. The result between 0.10 μ g/cm² and 0.13 μ g/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.
- 10. This test report supersedes the previous document bearing the report number ETR23805162, the report ETR23805162 was voided.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 4 of 15




Date: 01-Sep-2023

Page: 5 of 15

Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.

(Cr⁶⁺ test method excluded)






Date: 01-Sep-2023

Analytical flow chart – PBBs / PBDEs

First testing process

Optional screen process

Confirmation process



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 6 of 15




Date: 01-Sep-2023

Page: 7 of 15

Analytical flow chart - Phthalate


【Test method: IEC 62321-8】





Date: 01-Sep-2023 Page: 8 of 15


Analytical flow chart - HBCDD





Io.: Date: 01-Sep-2023 Page: 9 of 15

Analytical flow chart - Halogen






Date: 01-Sep-2023

Page: 10 of 15


Analytical flow chart - PFAS (including PFOA/PFOS/its related compound, etc.)





: Date: 01-Sep-2023

Analysis flow chart - PVC



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 11 of 15




Date: 01-Sep-2023

Page: 12 of 15

Flow chart of digestion for the elements analysis performed by ICP-OES

These samples were dissolved totally by pre-conditioning method according to below flow chart.



Steel, copper, aluminum, solder	Aqua regia, HNO ₃ , HCl, HF, H ₂ O ₂
Glass	HNO ₃ /HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO ₃
Plastic	H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCl
Others	Added appropriate reagent to total digestion




Date: 01-Sep-2023

Page: 13 of 15

Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【Reference method: US EPA 3051A \ US EPA 3052】




* US EPA 3051A method does not add HF.



Date: 01-Sep-2023

Analytical flow chart

* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 14 of 15



o.: Date: 01-Sep-2023

te: 01-Sep-2023 Page: 15 of 15

* The tested sample / part is marked by an arrow if it's shown on the photo. *



** End of Report **