


870600248-100 REV A





Comment	Description	Designator	Footprint	LibRef	Quantity
06031C103KAT2A	CAP, CERM 0.01µF, 100V, +/-10%, X7R, 0603	C1, C2	0603	06031C103KAT2A	2
06035A100JAT2A	CAP, CERM, 10pF, 50V, +/-5%, C0G/NP0, 0603	C3, C4, C5	0603	06035A100JAT2A	3
TPSB106M020R1000	CAP, TANT, 10µF, 20V, +/-20%, 1 ohm 3528-21 SMD	C6	3528-21	TPSB106M020R1000	1
Value		J4	HDR2X3	Header N2 3x2	1
142-0701-806	Connector, SMT, Er launch SMA 50 Ohm	P1	Johnson_142-0701- 80x	142-0701-806	1
5413631-2	Connector, TH, BNC Right angle, 50 Ohm gold	P3, P4	5413631-2	5413631-2	2
571-0500	Standard Banana Jack, insulated, 10A red	P21	571-0500	571-0500	1
571-0100	Standard Banana Jack, insulated, 10A black	P22	571-0100	571-0100	1
CRCW06031K00FK A	RES, 1.00k ohm, 1% 0.1W, 0603	R1	0603	CRCW06031K00FK A	1
CRCW0603100KFK A	RES, 100k ohm, 1% 0.1W, 0603	R2, R3	0603	CRCW0603100KFK A	2
CRCW06030000Z0 A	RES, 0 ohm, 5%, 0.1W, 0603	R4	0603	CRCW06030000Z0 A	1
SNT-100-BK-G	Shunt, 100mil, Gold plated, Black	SH-J1		SNT-100-BK-G	1
5011	Test Point, TH, Multipurpose, Black	TP1	Keystone5011	5011	1
LMH2120UM		U1	TMD06XXX, THIN M	LMH2110TM	1