

**This is logs after building. The error appears below\*red color.**

```
**** Build of configuration FlashROM_StackLibrary for project  
rtls_master_cc2640r2lp_app ****
```

```
"C:\\ti\\ccsv8\\utils\\bin\\gmake" -k -j 4 all -O
```

```
Building file: "../TOOLS/app_ble.cfg"
```

```
Invoking: XDCtools
```

```
"C:/ti/xdctools_3_51_01_18_core/xs" --
```

```
xdcpath="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source;C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/kernel/tirtos/packages;C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack;" xdc.tools.configuro -o configPkg -t ti.targets.arm.elf.M3 -p
```

```
ti.platforms.simplelink:CC2640R2F -r release -c "C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS" --compileOptions "-mv7M3 --code_state=16 -me -O4 --opt_for_speed=0 --
```

```
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app\" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/cc26xx_r2/inc\" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc\" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom\" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx\" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/rtls\" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/tof\" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/aoa\" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/unified/inc\" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHXL/blestack/rtls_master/src/app\" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc\" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles/cc26xx\" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles\" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/simple_profile\" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target\" -
```

```
-  
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common\" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common/cc26xx\" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc\" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr\" --
```

```
--  
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/
```

```

inc\" --
include_path=\"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/i
nc\" --
include_path=\"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/s
rc/saddr\" --
include_path=\"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/s
rc/sdata\" --
include_path=\"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2\"
--include_path=\"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include\" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi " ../TOOLS/app_ble.cfg"
making package.mak (because of package.bld) ...
generating interfaces for package configPkg (because package/package.xdc.inc is older
than package.xdc) ...
configuring app_ble.xem3 from package/cfg/app_ble_pem3.cfg ...
generating custom ROM library makefile ...
Starting build of library sources ...
making
C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app/TOOLS/src/sysbios/rom_sysbi
os.aem3 ...
clem3
C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/kernel/tirtos/packages/ti/sysbios/BIOS.c ...
asmem3
C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/kernel/tirtos/packages/ti/sysbios/family/arm
/m3/Hwi_asm.sv7M ...
asmem3
C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/kernel/tirtos/packages/ti/sysbios/family/arm
/m3/Hwi_asm_switch.sv7M ...
asmem3
C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/kernel/tirtos/packages/ti/sysbios/family/arm
/m3/IntrinsicsSupport_asm.sv7M ...
asmem3
C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/kernel/tirtos/packages/ti/sysbios/family/arm
/m3/TaskSupport_asm.sv7M ...
arem3 rom_sysbios.obj m3_Hwi_asm.obj m3_Hwi_asm_switch.obj
m3_IntrinsicsSupport_asm.obj m3_TaskSupport_asm.obj ...
Build of libraries done.
clem3 package/cfg/app_ble_pem3.c ...
Finished building: "../TOOLS/app_ble.cfg"

Building file:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHXL/blestack/rt
ls_master/src/app/rtls_master.c"
Invoking: ARM Compiler
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_co
mponents.opt" --

```

```
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_
config.opt" --
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/b
uild_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/
cc26xx_r2/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/rtls" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/tof" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/aoa" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/uni
fied/inc/" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHX
L/blestack/rtls_master/src/app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc"
--
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/si
mple_profile" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get/common" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get/common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc
" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/i
nc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/in
c" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/sr
c/saddr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/sr
c/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
```

```
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="Application/rtls_master.d_raw"
--obj_directory="Application" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHXL/blestack/rt
ls_master/src/app/rtls_master.c"
```

>> Compilation failure

```
Application/subdir_rules.mk:9: recipe for target 'Application/rtls_master.obj' failed
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHXL/blestack/rt
ls_master/src/app/rtls_master.c", line 1000: error #141: too many arguments in
function call
```

1 error detected in the compilation of

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHXL/blestack/rt
ls_master/src/app/rtls_master.c".
```

```
gmake: *** [Application/rtls_master.obj] Error 1
```

Building file:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/util.c"
```

Invoking: ARM Compiler

```
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
```

```
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_co
mponents.opt" --
```

```
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_
config.opt" --
```

```
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/b
uild_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
```

```
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/
cc26xx_r2/inc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/rtls" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/tof" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/aoa" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/uni
fied/inc/" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCH
XL/blestack/rtls_master/src/app" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc"
--
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les/cc26xx" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/si
mple_profile" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get_common" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get_common/cc26xx" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/saddr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="Application/util.d_raw" --
obj_directory="Application" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/util.c"
Finished building:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/util.c"
```

Building file:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/ecc/ECCROM
CC26XX.c"
```

Invoking: ARM Compiler

```
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_co
mponents.opt" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_
config.opt" --
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/b
uild_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/
cc26xx_r2/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/rtls" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/tof" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/aoa" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/uni
fied/inc/" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHX
```

```
L/blestack/rtls_master/src/app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc"
--
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/simple_profile" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/common" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc"
--
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/saddr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="Drivers/ECC/ECCROMCC26XX.d_raw"
--obj_directory="Drivers/ECC" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/ecc/ECCROM
CC26XX.c"
Finished building:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/ecc/ECCROM
CC26XX.c"
```

Building file:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/aoa/AOA.c"
Invoking: ARM Compiler
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_co
mponents.opt" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_
config.opt" --
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/b
uild_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/cc26xx_r2/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/rtls" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/tof" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/aoa" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/unified/inc/" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHXL/blestack/rtls_master/src/app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/simple_profile" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/saddr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="Drivers/AOA/AOA.d_raw" --
obj_directory="Drivers/AOA" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/aoa/AOA.c"
```

Finished building:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/aoa/AOA.c"
```

Building file:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/tof/TOF.c"
```

Invoking: ARM Compiler

```
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
```

```
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_components.opt" --
```

```
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_config.opt" --
```

```
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/build_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
```

```
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/cc26xx_r2/inc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/rtls" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/tof" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/aoa" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/unified/inc/" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHX/blestack/rtls_master/src/app" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles/cc26xx" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/simple_profile" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common/cc26xx" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/inc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/inc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/saddr" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/sdata" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
```



```
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="Drivers/TOF/TOF.d_raw" --
obj_directory="Drivers/TOF" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/tof/TOF.c"
Finished building:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/tof/TOF.c"
```

Building file:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/tof/tof_se
curity.c"
```

Invoking: ARM Compiler

```
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_co
mponents.opt" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_
config.opt" --
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/b
uild_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/
cc26xx_r2/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/rtls" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/tof" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/aoa" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/uni
fied/inc/" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHX
L/blestack/rtls_master/src/app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc"
--
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/si
mple_profile" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get_common" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/saddr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="Drivers/TOF/tof_security.d_raw"
--obj_directory="Drivers/TOF" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/tof/tof_security.c"
Finished building:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/tof/tof_security.c"
```

Building file:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common/TRNGCC26XX.c"
Invoking: ARM Compiler
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_components.opt" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_config.opt" --
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/build_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/cc26xx_r2/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/rtls" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/tof" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
```

```

xx/aoa" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/uni
fied/inc/" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHX
L/blestack/rtls_master/src/app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc"
--
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/si
mple_profile" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get/_common" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get/_common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc
" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/i
nc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/in
c" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/sr
c/saddr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/sr
c/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="Drivers/TRNG/TRNGCC26XX.d_raw"
--obj_directory="Drivers/TRNG" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common/T
RNGCC26XX.c"
Finished building:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common/T
RNGCC26XX.c"

Building file:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/icall_cc2650.c
"

Invoking: ARM Compiler
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_co
mponents.opt" --

```

```
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_
config.opt" --
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/b
uild_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/
cc26xx_r2/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/rtls" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/tof" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/aoa" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/uni
fied/inc/" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHX
L/blestack/rtls_master/src/app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc"
--
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/si
mple_profile" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get/common" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get/common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc
" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/i
nc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/in
c" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/sr
c/saddr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/sr
c/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
```

```
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="ICall/icall_cc2650.d_raw" --
obj_directory="ICall" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/icall_cc2650.c
"
```

Finished building:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/icall_cc2650.c
"
```

Building file:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/icall_user_con
fig.c"
```

Invoking: ARM Compiler

```
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
```

```
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_co
mponents.opt" --
```

```
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_
config.opt" --
```

```
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/b
uild_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
```

```
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/
cc26xx_r2/inc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/rtls" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/tof" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/aoa" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/uni
fied/inc/" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHX
L/blestack/rtls_master/src/app" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc"
--
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les/cc26xx" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/si
mple_profile" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get/_common" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get/_common/cc26xx" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc
" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/i
nc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/in
c" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/sr
c/saddr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/sr
c/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="ICall/icall_user_config.d_raw"
--obj_directory="ICall" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/icall_user_con
fig.c"
Finished building:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/icall_user_con
fig.c"
```

Building file:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/icall.c"
Invoking: ARM Compiler
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_co
mponents.opt" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_
config.opt" --
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/b
uild_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/
cc26xx_r2/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/rtls" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/tof" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/aoa" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/uni
fied/inc/" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHX
L/blestack/rtls_master/src/app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc"
--
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
```

```
les/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/simple_profile" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/common" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/saddr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="ICall/icall.d_raw" --
obj_directory="ICall" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/icall.c"
Finished building:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/icall.c"
```

Building file:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/app/ble_user_config.c"
```

Invoking: ARM Compiler

```
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_components.opt" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_config.opt" --
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/build_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/cc26xx_r2/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
```

```

xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/rtls" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/tof" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/aoa" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/uni
fied/inc/" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHX
L/blestack/rtls_master/src/app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc"
--
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/si
mple_profile" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get/_common" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get/_common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc
" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/i
nc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/in
c" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/sr
c/saddr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/sr
c/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="ICallBLE/ble_user_config.d_raw"
--obj_directory="ICallBLE" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/app/ble_user_conf
g.c"
Finished building:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/app/ble_user_conf
g.c"

```



Building file:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/app/icall_api_lite.c"
```

Invoking: ARM Compiler

```
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
```

```
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_components.opt" --
```

```
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_config.opt" --
```

```
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/build_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
```

```
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/cc26xx_r2/inc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/rtls" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/tof" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/aoa" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/unified/inc/" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHX/blestack/rtls_master/src/app" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc" --
```

```
--
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles/cc26xx" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/simple_profile" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common/cc26xx" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/inc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/inc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/saddr" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/sdata" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
```

```
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
```

```
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
```

```
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="ICallBLE/icall_api_lite.d_raw"
--obj_directory="ICallBLE" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/app/icall_api_lite
.c"
Finished building:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/app/icall_api_lite
.c"
```

Building file:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/unified/npi_tl_u
art.c"
```

Invoking: ARM Compiler

```
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_co
mponents.opt" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_
config.opt" --
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/b
uild_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/
cc26xx_r2/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/rtls" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/tof" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/aoa" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/uni
fied/inc/" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHX
L/blestack/rtls_master/src/app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc"
--
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/si
mple_profile" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get/_common" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/saddr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --
preproc_dependency="NPI/Transport/UART/npi_tl_uart.d_raw" --
obj_directory="NPI/Transport/UART" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/unified/npi_tl_uart.c"
Finished building:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/unified/npi_tl_uart.c"

Building file:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/unified/npi_tl.c"
"

Invoking: ARM Compiler
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_components.opt" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_config.opt" --
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/build_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/cc26xx_r2/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/rtls" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/tof" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/aoa" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/unified/inc/" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHXL/blestack/rtls_master/src/app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/simple_profile" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/saddr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="NPI/Transport/npi_tl.d_raw" --
obj_directory="NPI/Transport" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/unified/npi_tl.c"
"
```

Finished building:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/unified/npi_tl.c"
"
```

Building file:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/unified/npi_task.c"
```

Invoking: ARM Compiler

```
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
```

```
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_co
```

```
mponents.opt" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_
config.opt" --
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/b
uild_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/
cc26xx_r2/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/rtls" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/tof" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/aoa" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/uni
fied/inc/" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHX
L/blestack/rtls_master/src/app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc"
--
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/si
mple_profile" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get/_common" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get/_common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc
" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/i
nc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/in
c" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/sr
c/saddr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/sr
c/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
```

```
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="NPI/U_NPI/npi_task.d_raw" --
obj_directory="NPI/U_NPI" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/unified/npi_task
.c"
Finished building:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/unified/npi_task
.c"
```

Building file:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/unified/npi_util
.c"
```

Invoking: ARM Compiler

```
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_co
mponents.opt" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_
config.opt" --
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/b
uild_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/
cc26xx_r2/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/rtls" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/tof" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/aoa" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/uni
fied/inc/" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHX
L/blestack/rtls_master/src/app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc"
--
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/si
mple_profile" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get/_common" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get/_common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc
" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/i
```

```
nc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/in
c" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/sr
c/saddr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/sr
c/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="NPI/U_NPI/npi_util.d_raw" --
obj_directory="NPI/U_NPI" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/unified/npi_util
.c"
Finished building:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/unified/npi_util
.c"
```

Building file:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/rtls/rtls_
ctrl_aoa.c"
```

Invoking: ARM Compiler

```
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_co
mponents.opt" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_
config.opt" --
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/b
uild_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/
cc26xx_r2/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/rtls" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/tof" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/aoa" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/uni
fied/inc/" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHX
L/blestack/rtls_master/src/app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc"
```

```

--
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/simple_profile" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/common" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/saddr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="RTLSctrl/rtls_ctrl_aoa.d_raw" -
-obj_directory="RTLSctrl" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/rtls/rtls_
ctrl_aoa.c"
Finished building:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/rtls/rtls_
ctrl_aoa.c"

Building file:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles/cc26xx/ce
ntral.c"
Invoking: ARM Compiler
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_co
mponents.opt" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_
config.opt" --
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/b
uild_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/

```



```
cc26xx_r2/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/rtls" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/tof" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/aoa" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/uni
fied/inc/" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHX
L/blestack/rtls_master/src/app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc"
--
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/si
mple_profile" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get/_common" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get/_common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc
" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/i
nc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/in
c" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/sr
c/saddr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/sr
c/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="PROFILES/central.d_raw" --
obj_directory="PROFILES" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles/cc26xx/ce
ntral.c"
```

Finished building:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles/cc26xx/central.c"
```

Building file:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/rtls/rtls_ctrl.c"
```

Invoking: ARM Compiler

```
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
```

```
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_components.opt" --
```

```
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_config.opt" --
```

```
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/build_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
```

```
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/cc26xx_r2/inc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/rtls" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/tof" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/aoa" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/unified/inc/" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHX/blestack/rtls_master/src/app" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles/cc26xx" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/simple_profile" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common/cc26xx" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/inc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/inc" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/saddr" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/sr
```

```
c/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="RTLSctl/rtls_ctrl.d_raw" --
obj_directory="RTLSctl" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/rtls/rtls_
ctrl.c"
Finished building:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/rtls/rtls_
ctrl.c"
```

Building file:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/rtls/rtls_
ctrl_tof.c"
```

Invoking: ARM Compiler

```
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_co
mponents.opt" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_
config.opt" --
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/b
uild_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/
cc26xx_r2/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/rtls" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/tof" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/aoa" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/uni
fied/inc/" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHX
L/blestack/rtls_master/src/app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc"
--
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/si
```

```
mple_profile" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/saddr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="RTLSctrl/rtls_ctrl_tof.d_raw" -
-obj_directory="RTLSctrl" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/rtls/rtls_
ctrl_tof.c"
Finished building:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/rtls/rtls_
ctrl_tof.c"

Building file:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHXL/blestack/rt
ls_master/src/ccfg_app_ble.c"
Invoking: ARM Compiler
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_co
mponents.opt" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_
config.opt" --
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/b
uild_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/
cc26xx_r2/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
```

```

xx/rtls" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/tof" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/aoa" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/uni
fied/inc/" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHX
L/blestack/rtls_master/src/app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc"
--
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/si
mple_profile" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get/_common" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get/_common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc
" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/i
nc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/in
c" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/sr
c/saddr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/sr
c/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="Startup/ccfg_app_ble.d_raw" --
obj_directory="Startup" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHXL/blestack/rt
ls_master/src/ccfg_app_ble.c"
Finished building:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHXL/blestack/rt
ls_master/src/ccfg_app_ble.c"

Building file:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/rtls/rtls_
host_npi.c"

```

Invoking: ARM Compiler

```
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_components.opt" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_config.opt" --
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/build_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/cc26xx_r2/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/rtls" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/tof" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/aoa" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/unified/inc/" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHXL/blestack/rtls_master/src/app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/simple_profile" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/saddr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
```

```
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="RTLSctl/rtls_host_npi.d_raw" -
-obj_directory="RTLSctl" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/rtls/rtls_
host_npi.c"
Finished building:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/rtls/rtls_
host_npi.c"
```

Building file:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target/board.c"
Invoking: ARM Compiler
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_co
mponents.opt" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_
config.opt" --
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/b
uild_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/
cc26xx_r2/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/rtls" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/tof" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26
xx/aoa" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/uni
fied/inc/" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHX
L/blestack/rtls_master/src/app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc"
--
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/ro
les" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/si
mple_profile" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get/common" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/tar
get/common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc
" --
```

```
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/saddr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="Startup/board.d_raw" --
obj_directory="Startup" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target/board.c"
Finished building:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target/board.c"
```

Building file:

```
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHXL/blestack/rtls_master/src/app/main.c"
```

Invoking: ARM Compiler

```
"C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/bin/armcl" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/build_components.opt" --
cmd_file="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/config/factory_config.opt" --
cmd_file="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_stack_library/TOOLS/build_config.opt" -mv7M3 --code_state=16 -me -04 --opt_for_speed=0 --
include_path="C:/Users/MOAM1417/workspace_v8/rtls_master_cc2640r2lp_app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/controller/cc26xx_r2/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/rom" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/rtls" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/tof" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/common/cc26xx/aoa" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/npi/src/unified/inc/" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHXL/blestack/rtls_master/src/app" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/inc"
```



```

--
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/roles" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/profiles/simple_profile" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/target" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/target/_common/cc26xx" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/hal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/heapmgr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/icall/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/osal/src/inc" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/saddr" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/blestack/services/src/sdata" --
include_path="C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/source/ti/devices/cc26x0r2" --
include_path="C:/ti/ccsv8/tools/compiler/ti-cgt-arm_18.1.4.LTS/include" --
define=MAX_PDU_SIZE=128 --define=RTLS_HOST_EXTERNAL --define=RTLS_MASTER --
define=NPI_USE_UART --define=CC2640R2_LAUNCHXL --define=CC26XX --define=CC26XX_R2 --
define=xDEBUG_SW_TRACE --define=DeviceFamily_CC26X0R2 --define=Display_DISABLE_ALL --
define=ICALL_EVENTS --define=ICALL_JT --define=ICALL_LITE --
define=ICALL_MAX_NUM_ENTITIES=6 --define=ICALL_MAX_NUM_TASKS=4 --
define=ICALL_STACK0_ADDR --define=xPOWER_SAVING --define=STACK_LIBRARY --
define=USE_ICALL --define=xdc_runtime_Assert_DISABLE_ALL --
define=xdc_runtime_Log_DISABLE_ALL --define=RF_MULTIMODE -g --c99 --gcc --
diag_warning=225 --diag_wrap=off --display_error_number --gen_func_subsections=on --
abi=eabi --preproc_with_compile --preproc_dependency="Startup/main.d_raw" --
obj_directory="Startup" --cmd_file="configPkg/compiler.opt"
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHXL/blestack/rtls_master/src/app/main.c"
Finished building:
"C:/ti/simplelink_cc2640r2_sdk_2_40_00_32/examples/rtos/CC2640R2_LAUNCHXL/blestack/rtls_master/src/app/main.c"

```

**gmake: Target 'all' not remade because of errors.**

\*\*\*\* Build Finished \*\*\*\*