



NOTES: UNLESS OTHERWISE SPECIFIED:

1 SEE INTERPOSER SUPPLIER FOR RECOMMENDED PAD DIAMETER

© COPYRIGHT 2013 TEXAS INSTRUMENTS
UNPUBLISHED, ALL RIGHTS RESERVED

REVISIONS			
REV	DESCRIPTION	DATE	BY
A	INITIAL RELEASE	2/20/2013	DH
B	DIM 0.82±0.10 WAS 0.95±0.10, ZONE C-7	3/11/2013	DH



NO BOARD ROUTING OR VIAS PERMITTED
WITHIN CROSS-HATCHED AREA

NO BOARD ROUTING OR VIAS PERMITTED
WITHIN CROSS-HATCHED AREA

1 80X SOLDER PADS
 $\phi 0.360 \pm 0.040$
 $\phi 0.100$ A B C



2513119	0314RD
NEXT ASSY	USED ON
APPLICATION	

UNLESS OTHERWISE SPECIFIED

- DIMENSIONS ARE IN MILLIMETERS
- TOLERANCES: ANGLES $\pm 1^\circ$
2 PLACE DECIMALS ± 0.25
1 PLACE DECIMALS ± 0.50
- DIMENSIONAL LIMITS APPLY BEFORE PROCESSES
- INTERPRET DIMENSIONS IN ACCORDANCE WITH ASME Y14.5M-1994
- REMOVE ALL BURRS AND SHARP EDGES
- PARENTHETICAL INFO FOR REF ONLY

DWN HOLAMON	DATE 2/15/2013
Engr	
CQE/QA	
CM	
Apprvd	

TEXAS INSTRUMENTS	
PCB, DMD CONCEPT #3, SERIES 310 DMD	
SIZE B	DWG NO 2513118
SCALE 5:1	SHEET 1 OF 1
REV B	