

1-CONNECT THE CABLE PER FIGURE 1




Hole ID	Wire Color	AWG	Length
1	Blue	22	100
2	Red	22	100
3	Green	22	100
4	Yellow	22	100
5	Black	22	100
6	White	22	100
7	Grey	22	100
8	Brown	22	100
9	Purple	22	100
10	Pink	22	100
11	Orange	22	100
12	Light Blue	22	100
13	Light Green	22	100
14	Light Yellow	22	100
15	Light Grey	22	100
16	Light Brown	22	100
17	Light Purple	22	100
18	Light Pink	22	100
19	Light Orange	22	100
20	Light Blue	22	100
21	Light Green	22	100
22	Light Yellow	22	100
23	Light Grey	22	100
24	Light Brown	22	100
25	Light Purple	22	100
26	Light Pink	22	100
27	Light Orange	22	100
28	Light Blue	22	100
29	Light Green	22	100
30	Light Yellow	22	100
31	Light Grey	22	100
32	Light Brown	22	100
33	Light Purple	22	100
34	Light Pink	22	100
35	Light Orange	22	100
36	Light Blue	22	100
37	Light Green	22	100
38	Light Yellow	22	100
39	Light Grey	22	100
40	Light Brown	22	100
41	Light Purple	22	100
42	Light Pink	22	100
43	Light Orange	22	100
44	Light Blue	22	100
45	Light Green	22	100
46	Light Yellow	22	100
47	Light Grey	22	100
48	Light Brown	22	100
49	Light Purple	22	100
50	Light Pink	22	100
51	Light Orange	22	100
52	Light Blue	22	100
53	Light Green	22	100
54	Light Yellow	22	100
55	Light Grey	22	100
56	Light Brown	22	100
57	Light Purple	22	100
58	Light Pink	22	100
59	Light Orange	22	100
60	Light Blue	22	100
61	Light Green	22	100
62	Light Yellow	22	100
63	Light Grey	22	100
64	Light Brown	22	100
65	Light Purple	22	100
66	Light Pink	22	100
67	Light Orange	22	100
68	Light Blue	22	100
69	Light Green	22	100
70	Light Yellow	22	100
71	Light Grey	22	100
72	Light Brown	22	100
73	Light Purple	22	100
74	Light Pink	22	100
75	Light Orange	22	100
76	Light Blue	22	100
77	Light Green	22	100
78	Light Yellow	22	100
79	Light Grey	22	100
80	Light Brown	22	100
81	Light Purple	22	100
82	Light Pink	22	100
83	Light Orange	22	100
84	Light Blue	22	100
85	Light Green	22	100
86	Light Yellow	22	100
87	Light Grey	22	100
88	Light Brown	22	100
89	Light Purple	22	100
90	Light Pink	22	100
91	Light Orange	22	100
92	Light Blue	22	100
93	Light Green	22	100
94	Light Yellow	22	100
95	Light Grey	22	100
96	Light Brown	22	100
97	Light Purple	22	100
98	Light Pink	22	100
99	Light Orange	22	100
100	Light Blue	22	100


1	Brown	24	16
2	Red	24	16
3	Orange	24	16
4	PURPLE	24	16
5	Green	24	16
6	Blue	24	16
7	Purple	24	16
8	Gray	24	16
9	NC	24	16
10	Black	24	16




Rear Panel, Assembly Instruction
BACK PLAN PANEL




FIND NO.	QTY REQD	SYMBOL	PART NO.	DESCRIPTION/VENDOR	MAT'L
			PARTS LIST		
			UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCE ON:- DECIMALS FRACTION X ± .03 1/64 XX ± .010 ANGLES XXX ± .005 10° - 30°	 Benchmarq Microelectronics	
		MATERIAL:		Wiring Diagram System Bus Test System	
		FINISH:			
NEXT ASSY	USED ON		SIZE C	CORE DRILL NO.	XX-XXXXXX-XXX
APPLICATION			SCALE	DRAWN BY	SHEET 3 OF 9





DATE	REV	BY	CHK



DATE	REV	BY	CHK

DATE	REV	BY	CHK

DATE	REV	BY	CHK

